# HACCP-Based Standard Operating Procedures DISTRICT:

**Liberty Academy Foundation** 

**SCHOOL:** 

**Liberty Academy #1714** 

#### **Table of Contents**

	ints & Terms
Facility	Overview
Seven :	Steps/Components of Comprehensive Food Safety Program
	#1, #4, #5, #6, #7: HACCP-Based Standard Operating Procedures Assembling a Body Fluid Cleanup Kit
2. (	Cleaning and Disinfecting Body Fluid Spills
3. (	Cleaning and Sanitizing Food Contact Surfaces
4. (	Communicating During a Foodborne Illness Outbreak
5. (	Communicating Norovirus Prevention Methods
6. 0	Controlling Time and Temperature During Preparation
7. (	Cooking Time/Temperature Control for Safety Foods
8. 0	Cooling Time/Temperature Control for Safety Foods
9. [	Date Marking and Ready-to-Eat, Time/Temperature Control
10. F	Handling a Food Recall
11.	Hot and Cold Holding for Time/Temperature Control for Safety Foods
12.F	Personal Hygiene
13. F	Preventing Contamination at Food Bars
14. F	Preventing Cross Contamination During Storage and Preparation
15. F	Receiving Deliveries
16. F	Reheating Time/Temperature Control for Safety Foods
17.5	Serving Food
18.5	Serving Safe Food to Students with Food Allergies
19.5	Storing and Using Poisonous or Toxic Chemicals
20.7	Fransporting Food to Remote Sites (Satellite Kitchens)
21.	Jsing and Calibrating Thermometers
22. l	Jsing Suitable Utensils When Handling Ready-to-Eat Foods
23. l	Jsing Time Alone as a Public Health Control to Limit Bacteria
24.\	Vashing Fruits and Vegetables
25.\	Vashing Hands
FORMS	<b>3</b>
WORK	SHEETS

#### Overview of the Process Approach to HACCP

HACCP is a systematic approach to construct a food safety program designed to reduce the risk of foodborne hazards by focusing on each step of the food preparation process from receiving to service. As the USDA has recommended our School District uses the Process Approach to HACCP because it gives our school flexibility to create a food safety program specific to our food service operation. The Process Approach groups food preparation into three broad categories based on how many times each menu item moves through the temperature danger zone.

Serving safe food is a critical responsibility for school nutrition staff in our School District and a key aspect of our healthy school environment. Keeping foods safe is also a vital part of healthy eating and a recommendation of the *Dietary Guidelines for Americans*. Our HACCP-based food safety program will help us ensure the safety of the school meals served to children in our School Nutrition Program.

#### **Food Process**

These are the preparation categories in the Process Approach to HACCP:

- Process #1 / No Cook, food items meant to be kept cold from preparation through service
- Process #2 / Same Day Service, food items meant to be prepared hot and served hot the same day
- Process #3 / Complex Food Preparation, food items meant to be prepared hot and served cooled or reheated.

Each menu item (recipe) is put into one of the three categories and then kept hot (or cold) while it is being stored, prepared, transported, held, and served.

#### **SOPs**

HACCP-based SOPs include the following principles:

- Corrective Actions
- Monitoring Procedures
- Verification Procedures
- Record Keeping Procedures

#### **Food Safety Program**

.

#### **Key Points:**

Three main points are essential to our HACCP food safety program: basic facility sanitation, temperature control, and documented SOPs.

- 1. Our school nutrition staff will be sure that all our **food preparation areas** are clean and sanitary, such as workers' hands, utensils, and food contact surfaces and will avoid cross contamination.
- 2. Our school nutrition staff implements temperature control. Cold foods are kept cold, and hot foods are kept hot. Foods are cooked to proper temperatures and held at proper temperatures. Temperatures are recorded. A basic, properly calibrated food thermometer (digital, dial or laser) is used to check for proper temperatures.
- 3. Our school nutrition staff uses **SOPs** as a reference to verify proper sanitation and the observance of proper temperatures, as well as other food safety aspects in our foodservice operation.

#### **Key Terms for HACCP:**

- **Hazard Analysis**: Review food service operation to find areas where food safety problems might occur.
- **Control Measures**: Steps to reduce the likelihood of food contamination.
- **Critical Control Points**: Points in food preparation and processing where controlling a step (such as cooking) is essential to assure food safety.
- **Critical Limits**: The time and temperature ranges for food preparation and service (either cold or hot) that keep food safe.
- **Process Approach**: A method of grouping menu items into one of three processes depending on the number of times the food goes through the temperature danger zone, which is between 41 °F and 135 °F (as stated in the FDA Code).
- Standard Operating Procedure (SOP): Written instructions for a food service task that reduces food safety hazards.

#### **FACILITY OVERVIEW**

This program was developed by <u>Liberty Academy Foundation's</u>, Foodservice Director. The program follows the USDA guidance on developing a food safety program based on the Process Approach to HACCP. All standards in this food safety program are based on recommendations in the Food Code.

#### **School Building:**

7750 NW 12<sup>th</sup> Avenue, Miami, FL 33150

Grades: K-5

#### **Average Daily Funded Meal Participation:**

Breakfasts – 100

Lunches - 110

Afternoon Snack - 90

#### **School Foodservice Staff:**

<u>Maurice Brazier</u> - Manager/Unit Leader/Lead Cook **4** Staff

#### Kitchen Equipment:

Commercial Grade electric double oven range with four burners and grill. Commercial Grade Double Door Freezer with internal temperature displayed outside (49 cu. ft). Commercial Grade Double Door Refrigerator with internal temperature displayed outside (49 cu. ft). Single Door Freezer (25 cu. ft.) Chest Freezer (16 cu. ft.). 24" sanitizing dishwasher. 6' Mobile meal delivery cart (32 meal capacity). 3-Compartment Deep Bowl Commercial Grade sink. Wide assortment of Commercial Grade Kitchen utensils.

X	Self-Prep (prepares meals on site)		
	Central Kitchen (prepares; serves on site and transports to other sites)		
	Satellite Kitchen (receives meals or food from a central or production kitchen)		
	Vended Kito	then (receives meals from a contracted vendor or other district)	
Со	Liberty Academy has never had a health code violation and has maintained a well equipped and safe kitchen since day one of operation		

# SOP #1 - Assembling a Body Fluid Cleanup Kit

**PURPOSE:** To prepare for incidents requiring cleaning and disinfecting of body fluids, including vomit, diarrhea, and blood.

**SCOPE:** This procedure applies to school nutrition employees and/or custodial and maintenance staff involved in assembling a body fluid cleanup kit to use for a body fluid cleanup incident.

**KEY WORDS:** Body Fluid Spill, Cleaning, Disinfecting, Body Fluid Cleanup Kit, Norovirus

#### **INSTRUCTIONS:**

- 1. Purchase, and always keep on hand, sufficient quantities of the following items needed to assemble and immediately re-stock a Body Fluid Cleanup Kit:
  - Ethanol based hand sanitizer (62% Ethanol, FDA compliant)
  - Waterproof container sufficient in size to store personal protective and cleaning equipment
  - Personal protective equipment (PPE):
    - 6-12 pairs of disposable, non-latex gloves. Gloves should be vinyl or nitrile (rubber), and non-powdered. Gloves should be supplied in various sizes.
    - Disposable gown or apron, and shoe covers
    - Face mask with eye protection, or goggles
  - Cleaning supplies:
    - Sand, or liquid spill absorbent material
    - Disposable flat-edge scoop, or equivalent (e.g., dustpan, shovel)
    - Plastic garbage bags and twist-ties
    - Liquid soap
    - o Disposable paper towels
    - Disposable mop head
  - Disinfecting supplies:
    - o Bucket designated for chemical use
    - Spray bottle
    - Household bleach (5.25% concentration, unscented) \*
    - Measuring spoon (tablespoon) and cup (1/2 cup)
    - Disposable paper towels
    - o Disposable mop head
    - Plastic garbage bags and twist-ties

#### SOP #1 - Assembling a Body Fluid Cleanup Kit, continued

#### **INSTRUCTIONS**, continued:

\*EPA-approved disinfectants may be used instead of chlorine bleach solutions. CDC guidelines on norovirus outbreak management and disease prevention recommend using chlorine bleach solutions on hard surfaces when possible. EPA-approved disinfectants appropriate for blood may be used.

.

- Assemble a Body Fluid Cleanup Kit using the materials purchased in step 1 of this SOP:\*
  - Place the following supplies into a waterproof container:
    - Six to twelve (6-12) pairs of disposable, non-latex gloves
    - One (1) disposable gown or apron
    - One (1) pair of disposable shoe covers
    - One (1) face mask with eye protection, or goggles
    - One (1) package of disposable paper towels
    - o Two (2) disposable mop heads
    - o One (1) disposable flat-edge scoop, or equivalent
    - o Two (2) dry cups of sand, or liquid spill absorbent material
    - Four (4) Plastic garbage bags and twist-ties
    - Procedures for use of the Body Fluid Cleanup Kit. For example, the Food Safety SOP Cleaning and Disinfecting Body Fluid Spills
  - Seal the waterproof container with a lid and label with the date.
     \*Pre-assembled commercial kits containing recommended supplies are available through many vendors. Check with your chemical supply company or foodservice distributor.
- Store the Body Fluid Cleanup Kit with an unopened container of household bleach, or the EPA-approved disinfectant; the bucket designated for chemical use; and the spray bottle in an area designated for chemical storage and/or cleaning supplies.
- 4. Train school nutrition employees and/or custodial and maintenance staff on how to use PPE and the contents of the Body Fluid Cleanup Kit.

#### **MONITORING:**

The school nutrition manager and/or custodial/maintenance supervisor will ensure that:

- 1. The Body Fluid Cleanup Kit is properly assembled at all times. This includes ensuring that supplies and chemicals have not expired.
- 2. Excess materials and supplies are available to immediately restock the Body Fluid Cleanup Kit after use.

#### SOP #1 - Assembling a Body Fluid Cleanup Kit, continued

#### **MONITORING**, continued:

- 3. The Body Fluid Cleanup Kit, and associated chemicals and supplies, are stored in accordance with this SOP.
- 4. School nutrition employees and/or custodial/maintenance staff are trained to properly use:
  - PPE, and
  - The Body Fluid Cleanup Kit.

#### CORRECTIVE ACTION:

The school nutrition manager and/or custodial/maintenance supervisor will:

- 1. Properly assemble/restock the Body Fluid Cleanup Kit immediately. Replace expired/out-of-date supplies.
- 2. Provide excess materials and supplies to enable immediate restocking of the Body Fluid Cleanup Kit.
- 3. Retrain school nutrition employees and/or custodial/maintenance staff in proper storage of the Body Fluid Cleanup Kit, and associated chemicals and supplies.
- 4. Retrain/educate school nutrition employees and/or custodial/maintenance staff in how to properly use PPE and the Body Fluid Cleanup Kit.

#### **VERIFICATION AND RECORD KEEPING:**

The school nutrition manager and/or custodial/maintenance supervisor will:

- 1. Once per month, check the Body Fluid Cleanup Kit to ensure that it is properly assembled, and create and complete a log to document that the monthly check occurred. Keep the log on file for a minimum of one year.
- 2. Complete a Damaged or Discarded Product Log when expired/out-of-date supplies are discarded. Keep the log on file for a minimum of one year.
- 3. Document training sessions for school nutrition employees and/or custodial/maintenance staff in proper use of PPE and the Body Fluid Cleanup Kit using an Employee Food Safety Training Record.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	_ BY:

**PURPOSE:** This standard operating procedure (SOP) was implemented to safely and properly respond to all incidents requiring cleaning and disinfecting of body fluid spills. Body fluids – including vomit, diarrhea, and blood – are considered potentially infectious. Employees will always wear personal protective equipment when cleaning and disinfecting body fluid spills.

**SCOPE:** This procedure applies to school nutrition employees and/or custodial/maintenance staff that would clean a bodily fluid spill.

**KEY WORDS:** Body Fluid Spill, Cleaning, Disinfecting, Body Fluid Cleanup Kit, Norovirus

#### INTRUCTIONS:

- 1. Contain the affected area:
  - Discontinue foodservice operations if spill occurred in food preparation or service areas.
    - Refer to the school district's Alternate Meal Service SOP to safely continue meal service.
  - Block off the area of the spill from staff and students until cleanup and disinfection are complete. For incidents involving vomit, contain all areas within 25 feet of the spill.
  - Send sick staff and students to the school clinic/nurse for assistance.
  - Exclude (i.e., send home) school nutrition employees with symptoms of vomiting or diarrhea from foodservice operations. Refer to the school district's Exclusions and Restrictions for III or Infected School Nutrition Employees.
  - Allow only school nutrition employees and/or custodial/maintenance staff designated to clean and disinfect body fluid spills in the affected area. If the spill is in a non-foodservice area, school custodial/maintenance staff should handle the cleanup.
- 2. Retrieve the Body Fluid Cleanup Kit.
  - Refer to the Food Safety SOP Assembling a Body Fluid Cleanup Kit.
- 3. Put on personal protective equipment (PPE), including:
  - Disposable, non-latex gloves. Gloves should be vinyl or nitrile (rubber), and non-powdered.
    - Consider double gloving (wearing two gloves on each hand).
       Replace gloves if they tear or become visibly soiled. Keep hands away from face while wearing gloves.
  - A disposable gown or apron, and disposable shoe covers.
  - A face mask with eye protection, or goggles.

#### **INSTRUCTIONS**, continued:

- 4. Remove visible body fluid
  - Pour sand, or liquid spill absorbent material, on body fluid spill.
  - Use a disposable scoop, or equivalent, and disposable paper towels to remove the sand and body fluid from the affected surfaces.
  - Dispose of the sand, body fluid, disposable scoop, and paper towels in a plastic garbage bag.
  - Remove gloves. Dispose of gloves in a plastic garbage bag.
  - Wash hands.
- 5. Clean the affected area
  - Put on new disposable gloves. Consider double gloving.
  - Clean the affected area with soap and water, and paper towels and/or a
    disposable mop head. This includes surfaces that came into direct contact
    with body fluids, and surfaces that may have been contaminated with body
    fluids. Before disinfection (Step #6), all surfaces should be
    thoroughly cleaned (i.e., not visibly soiled).
  - Dispose of the paper towels and/or disposable mop head in a plastic garbage bag.
  - Remove gloves. Dispose of gloves in a plastic garbage bag.
  - Wash hands.
- 6. Disinfect the affected area
  - Put on new disposable gloves. Consider double gloving.

#### Non-absorbent Surfaces (i.e., tile, stainless steel)

- Prepare a chlorine bleach disinfecting solution.\*
  - Wear all Personal Protective Equipment (PPE), including the face mask with eye protection, or goggles. Ensure that area is well ventilated (mix solution outdoors if necessary).
  - Prepare solution immediately before applying it to surfaces using unscented, household bleach (8.25% sodium hypochlorite concentration)\*\* and water. Once opened, household bleaches lose their effectiveness after 30 days. Use anew, unopened bottle of bleach every 30 days for preparing solutions.
  - Mix 4 tablespoons of bleach with 1 gallon of water (solution concentration of about 1000 parts per million (ppm)) in a bucket designated for chemical use. It is recommended that 1 cup of bleach per 1 gallon of water be used on surfaces that have had direct contact with body fluids (5,000 ppm).
  - Transfer solution to a labelled spray bottle.
- Using the spray bottle, generously apply the disinfecting solution to affected surfaces, including surfaces that came into direct contact with body fluids, and surfaces that *may* have been contaminated with body fluids.

#### **INSTRUCTIONS**, continued:

- For incidents involving vomit, disinfect all areas and surfaces within 25 feet of the spill.
- Use in a well-ventilated area.
- Disinfect high touch areas (e.g., door handles, toilets, dispensers, carts, sink faucets, telephones, etc.) throughout the foodservice area, cafeteria dining areas, break rooms, and restrooms using disinfecting solution and paper towels.
- Leave the disinfecting solution on affected surfaces for a minimum of 5 minutes. If another EPA-approved disinfectant is used, follow the manufacturer's instructions.
- Rinse surfaces with clean water, and paper towels and/or a disposable mop head.
- Allow surfaces to air dry.
- Dispose of the paper towels and/or disposable mop head in a plastic garbage bag.
- Remove gloves. Dispose of gloves in a plastic garbage bag.
- Wash hands.
- \*EPA-approved disinfectants may be used instead of chlorine bleach solutions. CDC guidelines on norovirus outbreak management and disease prevention recommend using chlorine bleach solutions on hard surfaces when possible. EPA-approved disinfectants appropriate for blood may be used. We will use high strength chlorine test strips to ensure a chlorine concentration of 1,000 5,000 ppm. Check with your chemical supplier to obtain test strips.

#### Absorbent Surfaces (i.e., carpet, upholstery, cloth)

- Disinfect with a chemical disinfectant when possible.
- Steam clean for a minimum of 5 minutes at 170 °F.
- Launder in a mechanical washing machine on the hottest water setting, and dry in a mechanical dryer on a high heat setting.
- Dispose of disinfecting materials in a plastic garbage bag, as appropriate.
- Remove gloves. Dispose of gloves in a plastic garbage bag.
- Wash hands.

#### **INSTRUCTIONS**, continued:

- 7. Discard potentially contaminated food.
  - Put on new disposable gloves. Consider double gloving.
  - Dispose of exposed food and food in containers that may have been contaminated by body fluid in a garbage bag.
    - For incidents involving vomit, discard all food within 25 feet of the spill. Food in intact, sealed containers
    - Have a second employee, one who is not directly contacting potentially contaminated food, inventory the discarded food in a Damaged or Discarded Product Log.
  - Remove gloves. Dispose of gloves in a plastic garbage bag.
  - Wash hands.
- 8. Dispose of PPE, and cleaning and disinfecting materials.
  - Put on new disposable gloves. Consider double gloving.
  - Securely tie garbage bags containing all materials disposed of in steps 4-7 of this SOP.
  - Place garbage bags in a second garbage bag (double bag).
  - Clean all non-disposable items (bucket, mop handle, etc.) with soap and water; then disinfect. Allow these items to air dry.
  - Remove PPE, including disposable gloves, and place in second garbage bag.
  - Securely tie the second garbage bag.
  - Discard the bag(s) in the disposal area identified by school officials.
  - Remove soiled clothes, if necessary, and place clothes in a separate garbage bag. Securely tie the garbage bag. Keep clothes in the tied garbage bag until they can be adequately laundered.
- Wash hands, arms and face with soap and water in a restroom sink or hand sink. Put on clean clothing, if necessary. Apply ethanol-based hand sanitizer to hands.
- 10. Wash, rinse, and sanitize potentially contaminated food contact surfaces. Include food contact surfaces that were disinfected in step 6 of this SOP, and food contact surfaces that contained food discarded in step 7 of this SOP.
- 11. Restock the contents of the Body Fluid Cleanup Kit.
- 12. Complete an incident report.

#### **MONITORING**

The school nutrition manager and/or custodial/maintenance supervisor will:

- 1. Ensure that the Body Fluid Cleanup Kit is properly assembled at all times.
- 2. Ensure that at least one school nutrition employee and/or custodial/maintenance employee per shift is:
  - · Designated and trained to implement this SOP, and
  - Trained in the use of the Body Fluid Cleanup Kit.
- 3. Ensure that school nutrition and/or custodial/maintenance employees are:
  - Educated on illnesses and symptoms that must be reported to managers.
  - Monitored for signs and symptoms of illness.

#### **CORRECTIVE ACTION**

The school nutrition manager and/or Custodial/maintenance supervisor will:

- 1. Restock the Body Fluid Cleanup Kit immediately. Replace expired/out-of-date supplies.
- 2. Retrain designated school nutrition and/or custodial/maintenance employees in application of this SOP, and use of the Body Fluid Cleanup Kit.
- Retrain/educate school nutrition and/or custodial/maintenance employees in the school district's Exclusions and Restrictions for III or Infected School Nutrition Employees. Restrict or exclude ill school nutrition employees in accordance with SOPs.

#### VERIFICATION AND RECORD KEEPING

The school nutrition manager and/or custodial/maintenance supervisor will:

- 1. Verify that an incident report was completed. Keep incident report on file for a minimum of one year.
- 2. Verify that Damaged or Discarded Product Log was completed. Keep log on file for a minimum of one year.
- 3. Document training sessions for school nutrition custodial/maintenance employees on applicable SOPs using an *Employee Food Safety Training Record.*

DATE IMPLEMENTED: December 28, 202	2 BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u> B	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #3 - Cleaning and Sanitizing Food Contact Surfaces

**PURPOSE:** To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

**SCOPE:** This procedure applies to school nutrition employees involved in cleaning and sanitizing food contact surfaces.

**KEY WORDS:** Food Contact Surface, Cleaning, Sanitizing

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces. Refer to Storing and Using Poisonous or Toxic Chemicals SOP.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
  - Before each use.
  - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry.
  - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry.
  - Any time contamination occurs or is suspected.
- 5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
  - Wash surface with detergent solution.
  - Rinse surface with clean water.
  - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
  - Place wet items in a manner to allow air drying.
- 6. A 3-compartment sink is setup and used in the following manner:
  - In the first compartment, wash with a clean detergent solution at or above 110°F or at the temperature specified by the detergent manufacturer.
  - In the second compartment, rinse with clean water.
  - In the third compartment, sanitize with a sanitizing solution mixed at a concentration specified on the manufacturer's label or by immersing in hot water at or above 171°F for 30 seconds. Test the chemical sanitizer concentration by using an appropriate test kit.

### **SOP #3 - Cleaning and Sanitizing Food Contact Surfaces,** continued

#### **INSTRUCTIONS**, continued:

- 7. If a dishwasher is used:
  - Check with the dishwasher manufacturer to verify that the information on the data plate is correct.
  - Refer to the information on the data plate for determining wash, rinse, and sanitization (final) rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
  - Follow manufacturer's instructions for use.
  - Ensure that food contact surfaces reach a surface temperature of 160°F or above if using hot water to sanitize.

#### **MONITORING:**

School nutrition employees will:

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. In a 3-compartment sink, on a daily basis:
  - Visually monitor that the water in each compartment is clean.
  - Take the water temperature in the first compartment of the sink by using a calibrated thermometer.
  - If using chemicals to sanitize, test the sanitizer concentration by using the appropriate test kit for the chemical.
  - If using hot water to sanitize, use a calibrated thermometer to measure the water temperature. It should be at or above 171°F. Refer to Using and Calibrating Thermometers SOPs.
- 3. In a dishwasher, on a daily basis:
  - Visually monitor that the water and the interior parts of the machine are clean and free of debris.
  - Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
  - For hot water sanitizing dishwasher, ensure that food contact surfaces are reaching the appropriate temperature at or above 160°F by placing a piece of heat sensitive tape on a smallware item or an irreversible registering temperature indicator on a rack and running the item or rack through the dishwasher.
  - For chemical sanitizing dishwasher, check the sanitizer concentration on a recently washed food-contact surface using an appropriate test kit.

### SOP #3 - Cleaning and Sanitizing Food Contact Surfaces, continued

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. In a 3-compartment sink:
  - Drain and refill compartments periodically and as needed to keep the water clean.
  - Adjust the water temperature by adding hot water until the desired temperature is reached.
  - Add more sanitizer or water, as appropriate, until the proper concentration is achieved.

#### 4. In a dishwasher:

- Drain and refill the machine periodically and as needed to keep the water clean.
- Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash temperature indicated on the data plate.
- For a hot water sanitizing dishwasher, retest by running the machine again. If the appropriate surface temperature is still not achieved on the second run, contact the appropriate individual(s) to have the machine repaired. Wash, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items if a 3-compartment sink is not available.
- For a chemical sanitizing dishwasher, check the level of sanitizer remaining in bulk container. Fill, if needed. "Prime" the machine according to the manufacturer's instructions to ensure that the sanitizer is being pumped through the machine. Retest. If the proper sanitizer concentration level is not achieved, stop using the machine and contact the appropriate individual(s) to have it repaired. Use a 3-compartment sink to wash, rinse, and sanitize until the machine is repaired.

#### **HACCP-Based SOPs**

### SOP #3 - Cleaning and Sanitizing Food Contact Surfaces, continued

#### **VERIFICATION AND RECORD KEEPING:**

- 1. Foodservice employees will record monitoring activities and any corrective action taken on the Food Contact Surfaces Cleaning and Sanitizing Log.
- 2. The foodservice manager will verify that foodservice employees have taken the required temperatures and tested the sanitizer concentration by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Food Contact Surfaces Cleaning and Sanitizing Log. The log will be kept on file for at least 1 year.
- 3. The foodservice manager will complete the Food Safety Checklist twice per year. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u> BY	: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY: <u>Sa</u>	rah Brazier
DATE REVISED: B)	<b>√</b> ∙

# SOP #4 - Communicating During a Foodborne Illness Outbreak

**PURPOSE:** To rapidly communicate foodborne illness outbreak alerts and prevention strategies to child nutrition staff, students, and parents.

**SCOPE:** This procedure applies to school nutrition employees involved in training staff in norovirus prevention.

**KEY WORDS:** Norovirus, Communication, Training

#### INSTRUCTIONS:

- 1. When a suspected foodborne illness outbreak within the school is reported, the school nutrition manager will:
  - Work in cooperation with the Health Department to identify the cause of the outbreak and the source of transmission.
    - Stop all foodservice operations including preparation, display and serving of food if the suspected source of the outbreak is related to food. Isolate suspected foods.
  - Comply with all policies for reporting notifiable illnesses to the Health Department and for recovering from a foodborne illness outbreak.
  - Provide and document training on foodborne illness identification and prevention for all school nutrition employees to reinforce
    - o Foodborne illness symptoms and transmission
    - Required reporting of symptoms and illnesses
    - Employee exclusion and restriction policies
    - Handwashing and personal hygiene procedures
    - No bare hand contact policies
    - Why and how to use the Body Fluid Cleanup Kit
- 2. The school nutrition manager will work in cooperation with school administration and the Health Department to develop a crisis communication plan and foodborne illness outbreak response.
  - Student communication plans will cover
    - Foodborne illness symptoms
    - How foodborne illness is spread
    - Handwashing for prevention
    - Staying home when sick
    - Responding when the student or classmate becomes sick

#### **HACCP-Based SOPs**

### SOP #4 - Communicating During a Foodborne Illness Outbreak, continued

#### **INSTRUCTIONS**, continued:

- · Parent and media communication plans will cover
  - o Foodborne illness symptoms
  - o How foodborne illness is spread
  - o Handwashing for prevention
  - o Caring for an ill family member
  - When ill students should be kept out of school and when recovering students can return to school
- 3. All school nutrition employees will adhere to school and media communication policies.

#### **MONITORING:**

- 1. The school nutrition manager will document school nutrition employee training.
- The designated school nutrition employee will monitor to ensure that all school nutrition employees are adhering to policies related to this SOP during all hours of operation.

#### **CORRECTIVE ACTION:**

1. Retrain any school nutrition employee found not following procedures related to this SOP.

#### **VERIFICATION AND RECORD KEEPING:**

1. Employee training records will be kept on file for a minimum of one (1) year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY:	Sarah Brazier
DATE REVISED:	RV·

# SOP #5 - Communicating Norovirus Prevention Methods

**PURPOSE:** To reinforce methods of preventing norovirus by communicating with staff.

**SCOPE:** This procedure applies to school nutrition employees involved in training staff in norovirus prevention.

KEY WORDS: Norovirus, Communication, Training

#### **INSTRUCTIONS:**

The school nutrition manager will develop a schedule and provide training on norovirus prevention for school nutrition employees.

- School nutrition employee communication will reinforce
  - Norovirus symptoms
  - How norovirus is spread
  - Handwashing and personal hygiene procedures
  - No bare hand contact policies
  - Required reporting of symptoms and illnesses
  - Employee exclusion and restriction policies
  - Why and how to use the Body Fluid Cleanup Kit

#### **MONITORING:**

- 1. The school nutrition manager will document school nutrition employee training.
- 2. The designated school nutrition employee will monitor to ensure that all school nutrition employees are adhering to policies related to this SOP during all hours of operation.

#### **CORRECTIVE ACTION:**

1. Retrain any school nutrition employee found not following procedures related to this SOP.

#### **VERIFICATION AND RECORD KEEPING:**

1. Employee training records will be kept on file for a minimum of one (1) year.

DATE IMPLEMENTED: December 28, 2022 BY: Maurice Brazier

DATE REVIEWED: <u>December 28, 2022</u> BY: <u>Sarah Brazier</u>

DATE REVISED: \_\_\_\_\_\_ BY: \_\_\_\_\_

# SOP #6 - Controlling Time and Temperature During Preparation

**PURPOSE:** To prevent foodborne illness by limiting the amount of time that time/temperature control for safety foods are held in the temperature danger zone during preparation.

**SCOPE:** This procedure applies to school nutrition employees who prepare food.

**KEY WORDS:** Cross Contamination, Time and Temperature Control, Food Preparation, Temperature Danger Zone, Time/Temperature Control for Safety Foods, TCS Foods

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
- 3. Wash hands prior to preparing foods. Refer to the Washing Hands SOP.
- 4. Use clean and sanitized equipment and utensils while preparing food.
- Separate raw foods from ready-to-eat foods by keeping them in separate containers until ready to use and by using separate dispensing utensils. Refer to the Preventing Cross Contamination During Storage and Preparation SOP.
- 6. Pre-chill ingredients for cold foods, such as sandwiches, salads, and cut melons, to 41°F or below before combining with other ingredients.
- 7. Prepare foods as close to serving times as the menu will allow.
- 8. Prepare food in small batches.
- 9. Limit the time for preparation of any batches of food so that ingredients are not at room temperature for more than 30 minutes before cooking, serving, or being returned to the refrigerator.
- 10. If time/temperature control for safety foods are not cooked or served immediately after preparation, quickly chill. Refer to the Cooling Time/Temperature Control for Safety Foods SOP.

#### **MONITORING:**

- 1. Use a clean, sanitized, and calibrated probe thermometer, preferably a thermocouple.
- 2. Take at least two internal temperatures from each pan of food at various stages of preparation. Record temperatures.
- 3. Monitor the amount of time that food is in the temperature danger zone. It should not exceed 4 hours.

## **SOP #6 - Controlling Time and Temperature During Preparation,** continued

#### **CORRECTIVE ACTIONS:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Begin the cooking process immediately after preparation is complete for any foods that will be served hot.
- 3. Rapidly cool ready-to-eat foods or foods that will be cooked at a later time.
- 4. Immediately return ingredients to the refrigerator if the anticipated preparation completion time is expected to exceed 30 minutes.
- 5. Discard food held in the temperature danger zone for more than 4 hours.

#### **VERIFICATION AND RECORD KEEPING:**

- 1. Foodservice employees will record the date, product name, start and end times of production, the two temperature measurements taken, any corrective actions taken, and the amount of food prepared on the Production Log or Production Record and Corrective Action Form if necessary.
- The foodservice manager will verify that foodservice employees are taking the required temperatures and following the proper preparation procedure by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Production Log or Production Record and Corrective Action Forms daily.
- 3. Maintain the Production Log or Production Record and Corrective Action Forms for a minimum of 3 years following the last day of school.
- 4. The foodservice manager will complete the Food Safety Checklist twice per year. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 20</u>	22 BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #7 - Cooking Time/Temperature Control for Safety Foods

**PURPOSE:** To prevent foodborne illness by ensuring that all foods are cooked to the appropriate internal temperature.

**SCOPE:** This procedure applies to school nutrition employees who prepare or serve food.

**KEY WORDS:** Cross Contamination, Temperatures, Cooking, Time/Temperature Control for Safety Foods, TCS Foods

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
- 3. If a recipe contains a combination of meat products, cook the product to the highest required temperature.
- 4. Cook products to the following temperatures:
  - 135°F for 15 seconds
    - Fresh, frozen, or canned fruits and vegetables that are going to be held on a steam table or in a hot box
  - 145°F for 15 seconds
    - Seafood, beef roast, and pork roast
    - Eggs cooked to order that are placed onto a plate and immediately served
  - 155°F for 15 seconds
    - Ground products containing beef, pork, or fish
    - o Fish nuggets or sticks
    - o Eggs held on a steam table
    - Cubed or Salisbury steaks
  - 165°F for 15 seconds
    - o Poultry
    - o Stuffed fish, pork, or beef
    - Pasta stuffed with eggs, fish, pork, or beef (such as lasagna or manicotti)

# **SOP #7 - Cooking Time/Temperature Control for Safety Foods,** continued

#### **MONITORING:**

- 1. Use a clean, sanitized, and calibrated probe thermometer, preferably a thermocouple.
- 2. Avoid inserting the thermometer into pockets of fat or near bones when taking internal cooking temperatures.
- 3. Take at least two internal temperatures from each batch of food by inserting the thermometer into the thickest part of the product which usually is in the center.
- 4. Take at least two internal temperatures of each large food item, such as a turkey, to ensure that all parts of the product reach the required cooking temperature.

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Continue cooking food until the internal temperature reaches the required temperature.

#### **VERIFICATION AND RECORD KEEPING:**

- 1. Foodservice employees will record product name, time, the two temperatures/times, and any corrective action taken on the Cooking and Reheating Temperature Log or Production Record and Corrective Action Form.
- Foodservice manager will verify that foodservice employees have taken the required cooking temperatures by visually monitoring foodservice employees and preparation procedures during the shift and reviewing, initialing, and dating the Temperature Log or Production Record and Corrective Action Forms at the close of each day.
- 3. The Cooking and Reheating Temperature Log or Production Record and Corrective Action Forms are to be kept on file for a minimum of 3 years.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	': <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #8 - Cooling Time/Temperature Control for Safety Foods

**PURPOSE:** To prevent foodborne illness by ensuring that all time/temperature control for safety foods are cooled properly.

**SCOPE:** This procedure applies to school nutrition employees who prepare or serve food.

**KEY WORDS:** Cross Contamination, Temperatures, Cooling, Holding, Time/Temperature Control for Safety Foods, TCS Foods

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
- 3. Modify menus, production schedules, and staff work hours to allow for implementation of proper cooling procedures.
- 4. Prepare and cool food in small batches.
- 5. Chill food rapidly using an appropriate cooling method:
  - Place food in shallow containers no more than 2 inches deep and uncovered on the top shelf in the back of the walk-in or reach-in cooler.
  - Use a guick-chill unit such as a blast chiller.
  - Stir the food in a container placed in an ice water bath.
  - · Add ice as an ingredient.
  - Separate food into smaller or thinner portions.
  - Pre-chill ingredients and containers used for making bulk items such as salads.
- 6. Chill cooked, hot food from:
  - 135°F to 70°F within 2 hours. Take corrective action immediately if food is not chilled from 135°F to 70°F within 2 hours.
  - 70°F to 41°F or below in remaining time. The total cooling process from 135°F to 41°F may not exceed 6 hours. Take corrective action immediately if food is not chilled from 135°F to 41°F within the 6 hour cooling process.
- 7. Chill prepared, ready-to-eat foods such as tuna salad and cut melons from 70°F to 41°F or below within 4 hours. Take corrective action immediately if ready-to-eat food is not chilled from 70°F to 41°F within 4 hours.

### SOP #8 - Cooling Time/Temperature Control for Safety Foods, continued

#### MONITORING:

- 1. Use a clean, sanitized, and calibrated probe thermometer to measure the internal temperature of the food during the cooling process.
- 2. Monitor temperatures of products every hour throughout the cooling process by inserting a probe thermometer into the center of the food and at various locations in the product.

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Reheat cooked, hot food to 165°F for 15 seconds and start the cooling process again using a different cooling method when the food is:
  - Above 70°F and 2 hours or less into the cooling process; and
  - Above 41°F and 6 hours or less into the cooling process.
- 3. Discard cooked, hot food immediately when the food is:
  - Above 70°F and more than 2 hours into the cooling process; or
  - Above 41°F and more than 6 hours into the cooling process.
- 3. Use a different cooling method for prepared ready-to-eat foods when the food is above 41°F and less than 4 hours into the cooling process.
- 4. Discard prepared ready-to-eat foods when the food is above 41°F and more than 4 hours into the cooling process.

#### VERIFICATION AND RECORD KEEPING:

- Foodservice employees will record temperatures and corrective actions taken on the Cooling Temperature Log or Production Record and Corrective Action Form.
- The foodservice manager will verify that foodservice employees are cooling food properly by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Cooling Temperature Log or Production Record and Corrective Action Forms each working day.
- 3. The Cooling Temperature Logs or Production Records and Corrective Action Forms are to be kept on file for a minimum of 3 years.

DATE IMPLEMENTED: <u>December 28, 2</u>	022 BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

### SOP #9 - Date Marking Ready-to-Eat, Time/Temperature Control for Safety Foods

**PURPOSE:** To ensure appropriate rotation of ready-to-eat food to prevent or reduce foodborne illness from *Listeria monocytogenes*.

**SCOPE:** This procedure applies to school nutrition employees who prepare, store, or serve food.

**KEY WORDS:** Ready-to-Eat Food, Time/Temperature Control for Safety Foods, Date Marking, Cross Contamination, TCS Foods

#### INSTRUCTIONS:

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. The best practice for a date marking system would be to include a label with the product name, the day or date, and time it is prepared or opened. Examples of how to indicate when the food is prepared or opened include:
  - Labeling food with a calendar date, such as "cut cantaloupe, 2/20/17, 8:00 a.m.."
  - Identifying the day of the week, such as "cut cantaloupe, Monday, 8:00 a.m.," or
  - Using color-coded marks or tags, such as cut cantaloupe, blue dot, 8:00 a.m. means "cut on Monday at 8:00 a.m."
- 3. Follow state or local health department requirements.
- 4. Label ready-to-eat, time/temperature control for safety foods that are prepared on-site and held for more than 24 hours.
- 5. Label any processed, ready-to-eat, time/temperature control for safety foods when opened, if they are to be held for more than 24 hours.
- 6. Refrigerate all ready-to-eat, time/temperature control for safety foods at 41°F or below.
- 7. Serve or discard refrigerated, ready-to-eat, time/temperature control for safety foods within 7 days.
- Indicate with a separate label the date prepared, the date frozen, and the date thawed of any refrigerated, ready-to-eat, time/temperature control for safety foods.
- 9. Calculate the 7-day time period by counting only the days that the food is under refrigeration. For example:
  - On Monday, 2/27/17, lasagna is cooked, properly cooled, and refrigerated with a label that reads, "Lasagna, Cooked, 2/27/17."

# SOP #9 - Date Marking Ready-to-Eat, Time/Temperature Control for Safety Foods, continued

#### **INSTRUCTIONS**, continued:

- On Tuesday, 2/28/17, the lasagna is frozen with a second label that reads, "Frozen, 2/28/17." Two labels now appear on the lasagna. Since the lasagna was held under refrigeration from Monday, 2/27/17 – Tuesday, 2/28/17, only 1 day is counted towards the 7-day time period.
- On Tuesday 3/7/17, the lasagna is pulled out of the freezer. A third label is placed on the lasagna that reads, "Thawed, 3/7/17." All three labels now appear on the lasagna. The lasagna must be served or discarded within 6 days.

#### MONITORING:

- 1. A designated employee will check refrigerators daily to verify that foods are date marked.
- 2. This employee will check that foods exceeding the 7-day time period are not being used or stored.

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Foods that are not date marked or that exceed the 7-day time period will be discarded.

#### **VERIFICATION AND RECORD KEEPING:**

- 1. The foodservice manager will complete the Food Safety Checklist twice per year.
- 2. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	_BY:

### SOP #10 - Handling a Food Recall

**PURPOSE:** To prevent foodborne illness in the event of a product recall.

**SCOPE:** This procedure applies to school nutrition employees who prepare or serve food.

**KEY WORDS:** Food Recalls

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Review the food recall notice and specific instructions that have been identified in the notice.
- 4. Communicate the food recall notice to feeding sites.
- 5. Hold the recalled product using the following steps:
  - Physically segregate the product, including any open containers, leftover product, and food items in current production that contain the recalled product.
  - If an item is suspected to contain the recalled product, but label information is not available, follow the district's procedure for disposal.
- 6. Mark recalled product "Do Not Use" and "Do Not Discard." Inform the entire staff not to use the product.
- 7. Do not destroy any USDA Foods without official written notification from the State Distributing Agency, USDA Food Safety Inspection Services (FSIS), or state or local health department.
- 8. Inform the school district's public relations coordinator of the recalled product.
- Identify and record whether any of the product was received in the district, locate the food recall product by feeding site, and verify that the food items bear the product identification code(s) and production date(s) listed in the recall notice.
- 10. Obtain accurate inventory counts of the recalled products from every feeding site, including the amount in inventory and amount used.
- 11. Account for all recalled product by verifying inventory counts against records of food received at the feeding site.

#### **MONITORING:**

1. School nutrition employees and school nutrition manager will visually observe that school sites have segregated and secured all recalled products.

#### SOP #10 - Handling a Food Recall, continued

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Determine if the recalled product is to be returned and to whom, or destroyed and by whom.
- 3. Notify feeding site staff of procedures, dates, and other specific directions to be followed for the collection or destruction of the recalled product.
- 4. Consolidate the recall product as quickly as possible, but no later than 30 days after the recall notification.
- 5. Conform to the recall notice using the following steps:
  - a. Report quantity and site where product is located to manufacturer, distributor, or State agency for collection. The quantity and location of the affected USDA Foods must be submitted to the State Distributing Agency within 10 calendars days of the recall.
  - Obtain the necessary documents from the State Distributing Agency for USDA Foods. Submit necessary documentation for reimbursement of food costs
  - c. Complete and maintain all required documentation related to the recall including:
    - Recall notice
    - Records of how food product was returned or destroyed
    - Reimbursable costs
    - Public notice and media communications
    - Correspondence to and from the public health department and State agency

#### **VERIFICATION AND RECORD KEEPING**

- Foodservice employees will record the name of the contaminated food, date, time, and the reason why the food was discarded on the Damaged or Discarded Product Log.
- The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged or Discarded Product Log. Maintain the Damaged or Discarded Product Logs for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2</u>	022 BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

Adapted from: Institute of Child Nutrition. (2013). Responding to a Food Recall. University, MS: Author.

# **SOP #11 - Hot and Cold Holding for Time/Temperature Control for Safety Foods**

**PURPOSE:** To prevent foodborne illness by ensuring that all time/temperature control for safety foods are held under the proper temperature.

**SCOPE:** This procedure applies to school nutrition employees who prepare or serve food.

**KEY WORDS:** Cross Contamination, Temperatures, Holding, Hot Holding, Cold Holding, Storage, Time/Temperature Control for Safety Foods, TCS Foods

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
- 3. Implement the following:
  - Hold hot foods at 135°F or above
  - Hold cold foods at 41°F or below
- 4. Preheat steam tables and hot boxes.

#### **MONITORING:**

- 1. Use a clean, sanitized, and calibrated probe thermometer to measure the temperature of the food.
- 2. Take temperatures of foods by inserting the thermometer near the surface of the product, at the thickest part, and at other various locations.
- 3. Take temperatures of holding units by placing a calibrated thermometer in the coolest part of a hot holding unit or warmest part of a cold holding unit.
- 4. For hot foods held for service:
  - Verify that the air/water temperature of any unit is at 135°F or above before use.
  - Reheat foods in accordance with the Reheating for Hot Holding SOP.
  - All hot time/temperature control for safety foods should be 135°F or above before placing the food out for display or service.
  - Take the internal temperature of food before placing it on a steam table or in a hot holding unit and at least every 2 hours thereafter.

# **SOP #11 - Hot and Cold Holding for Time/Temperature Control for Safety Foods, continued**

#### **MONITORING**, continued:

- 5. For cold foods held for service:
  - Verify that the air/water temperature of any unit is at 41°F or below before use.
  - Chill foods, if applicable, in accordance with the Cooling Time/Temperature Control for Safety Foods SOP.
  - All cold time/temperature control for safety foods should be 41°F or below before placing the food out for display or service.
  - Take the internal temperature of the food before placing it onto any salad bar, display cooler, or cold serving line and at least every 2 hours thereafter.
- 6. For cold foods in storage:
  - Take the internal temperature of the food before placing it into any walk-in cooler or reach-in cold holding unit.
  - Chill food in accordance with the Cooling Time/Temperature Control for Safety Foods SOP if the food is not 41°F or below.
  - Verify that the air temperature of any cold holding unit is at 41°F or below before use and at least every 4 hours thereafter during all hours of operation.

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. For hot foods:
  - Reheat the food to 165°F for 15 seconds if the temperature is found to be below 135°F and the last temperature measurement was 135°F or higher and taken within the last 2 hours. Repair or reset holding equipment before returning the food to the unit, if applicable.
  - Discard the food if it cannot be determined how long the food temperature was below 135°F.
- 3. For cold foods:
  - Rapidly chill the food using an appropriate cooling method if the temperature is found to be above 41°F and the last temperature measurement was 41°F or below and taken within the last 2 hours:
    - Place food in shallow containers (no more than 2 inches deep) and uncovered on the top shelf in the back of the walk-in or reach-in cooler.
    - Use a quick-chill unit like a blast chiller.
    - Stir the food in a container placed in an ice water bath.
    - Add ice as an ingredient.
    - Separate food into smaller or thinner portions.

# **SOP #11 - Hot and Cold Holding for Time/Temperature Control** for Safety Foods, continued

#### **CORRECTIVE ACTION, continued:**

- 4. Repair or reset holding equipment before returning the food to the unit, if applicable.
- 5. Discard the food if it cannot be determined how long the food temperature was above 41°F.

#### **VERIFICATION AND RECORD KEEPING:**

- 1. Foodservice employees will record temperatures of food items and document corrective actions taken on the Hot and Cold Holding Temperature Log or Production Record and Corrective Action Form.
- 2. A designated foodservice employee will record air temperatures of coolers and cold holding units on the Refrigeration Logs.
- 3. The foodservice manager will verify that foodservice employees have taken the required holding temperatures by visually monitoring foodservice employees during the shift and reviewing the Hot and Cold Holding Temperature Log or Production Record and Corrective Action Forms at the close of each day.
- 4. The Temperature Logs or Production Records and Corrective Action Forms are to be kept on file for a minimum of 3 years.

DATE IMPLEMENTED: <u>December 28, 20</u>	<u>)22</u> BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u>	BY: Sarah Brazier
DATE REVISED:	BY:

### **SOP #12 - Personal Hygiene**

**PURPOSE:** To prevent contamination of food by school nutrition employees.

**SCOPE:** This procedure applies to school nutrition employees who handle, prepare, or serve food.

**KEY WORDS:** Personal Hygiene, Cross Contamination, Contamination

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Follow the Employee Health Policy. (Employee Health Policy is not included in this resource.)
- 4. Report to work in good health, clean, and dressed in clean attire. Report any illnesses to your manager.
- 5. Change apron when it becomes soiled.
- 6. Wash hands properly, frequently, and at the appropriate times.
- 7. Keep fingernails trimmed, filed, and maintained.
- 8. Do not wear artificial fingernails and fingernail polish.
- 9. Wear single-use gloves if artificial fingernails or fingernail polish are worn.
- 10. Do not wear any jewelry except for a plain ring such as a wedding band.
- 11. Treat and bandage wounds and sores immediately. When hands are bandaged, single-use gloves must be worn.
- 12. Cover a lesion containing pus with a bandage. If the lesion is on a hand or wrist, cover with an impermeable cover such as a finger cot or stall and a single-use glove. Show a supervisor any lesion before working.
- 13. Eat, drink, or chew gum only in designated break areas where food or food contact surfaces may not become contaminated.
- 14. Taste food the correct way:
  - Place a small amount of food into a separate container.
  - Step away from exposed food and food contact surfaces.
  - Use a teaspoon to taste the food. Remove the used teaspoon and container to the dish room. Never reuse a spoon that has already been used for tasting.
  - Wash hands immediately.
- 15. Wear suitable and effective hair restraints while in the kitchen.

### SOP #12 - Personal Hygiene, continued

#### **MONITORING:**

- 1. The kitchen supervisor will inspect employees when they report to work to be sure that each employee is following this SOP.
- 2. The kitchen supervisor will monitor that all school nutrition employees are adhering to the personal hygiene policy during all hours of operation.

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Discard affected food.

#### **VERIFICATION AND RECORD KEEPING:**

- 1. The foodservice manager will verify that foodservice employees are following this SOP by visually observing the employees during all hours of operation.
- 2. The foodservice manager will complete the Food Safety Checklist twice per year.
- Foodservice employees will record any discarded food on the Damaged or Discarded Product Log.
- 4. The Food Safety Checklist and Damaged or Discarded Product Logs are to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #13 - Preventing Contamination at Food Bars

**PURPOSE:** To prevent foodborne illness by ensuring that all items held on food bars are protected from contamination.

**SCOPE:** This procedure applies to anyone who is responsible for maintaining and monitoring the self-service food bars.

KEY WORDS: Contamination, Self-Service, Salad Bars, Food Bars

#### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Follow Employee Health Policy, Personal Hygiene, and Washing Hands SOPs. (Employee health policy is not included in this resource.)
- 4. Follow manufacturer's instructions for pre-heating and pre-chilling food bar equipment before use.
- 5. Place all exposed food under sneeze guards.
- 6. Provide an appropriate clean and sanitized utensil for each container on the food bar.
- 7. Replace existing containers of food with new containers when replenishing the food bar.
- 8. Assist customers who are unable to properly use utensils.
- 9. Ensure that customers use a clean dish when returning to the food bar.
- 10. Store eating utensils with the handles up or in a manner to prevent customers from touching the food contact surfaces.
- 11. Avoid using spray chemicals to clean food bars when in use.

#### **MONITORING:**

- 1. Monitor and record temperatures of food in accordance with the Hot and Cold Holding for Time/Temperature Control for Safety Foods SOP.
- Continually monitor food containers to ensure that utensils are stored on a clean and sanitized surface or in the containers with the handles out of the food.
- 3. Continually monitor customers' use of the food bar to ensure that customers are not:
  - Touching food with their bare hands
  - · Coughing, spitting, or sneezing on the food
  - Placing foreign objects in the food
  - Using the same plate for subsequent trips

### SOP #13 - Preventing Contamination at Food Bars, continued

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Remove and discard contaminated food.
- 3. Demonstrate to customers how to properly use utensils.
- 4. Discard the food if it cannot be determined how long the food temperature was above 41°F or below 135°F.

- 1. The foodservice manager will verify that foodservice employees are assigned to maintain food bars during all hours of operation.
- 2. Foodservice employees will record temperatures of food items and document corrective actions taken on the Hot and Cold Holding Temperature Log or Production Record and Corrective Action Form.
- 3. The foodservice manager will complete the Food Safety Checklist twice per year. This form is to be kept on file for a minimum of 1 year.
- 4. Foodservice employees will document any discarded food on the Damaged or Discarded Product Log. The Damaged or Discarded Product Log are to be kept on file for a minimum of 1 year.
- 5. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged or Discarded Product Log.
- 6. The Hot and Cold Holding Temperature Log or Production Record and Corrective Action Forms are to be kept on file for a minimum of 3 years.

DATE IMPLEMENTED: <u>December 28, 2022</u>	2 BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> B	Y: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #14 - Preventing Cross Contamination During Storage and Preparation

**PURPOSE:** To reduce foodborne illness by preventing unintentional contamination of food.

**SCOPE:** This procedure applies to anyone who is responsible for receiving, storing, preparing, and serving food.

**KEY WORDS:** Cross Contamination, Preparation, Contamination, Storage, Receiving

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Wash hands properly. Refer to the Washing Hands SOP.
- 4. Avoid touching ready-to-eat food with bare hands. Refer to Using Suitable Utensils When Handling Ready-To-Eat Foods SOP.
- 5. Separate raw animal foods, such as eggs, fish, meat, and poultry, from ready-to-eat foods, such as lettuce, cut melons, and lunch meats during receiving, storage, and preparation.
- 6. Separate different types of raw animal foods, such as eggs, fish, meat, and poultry, from each other, except when combined in recipes.
- Store raw animal foods in refrigerators or walk-in coolers by placing the raw animal foods on shelves in order of cooking temperatures with the raw animal food requiring the highest cooking temperature, such as chicken, on the lowest shelf.
- 8. Separate unwashed fruits and vegetables from washed fruits and vegetables and other ready-to-eat foods.
- 9. Use only dry, cleaned, and sanitized equipment and utensils. Refer to Cleaning and Sanitizing Food Contact Surfaces SOP for proper cleaning and sanitizing procedure.
- 10. Touch only those surfaces of equipment and utensils that will not come in direct contact with food.
- 11. Place food in covered containers or packages, except during cooling, and store in the refrigerator or walk-in cooler.
- 12. Designate an upper shelf of a refrigerator or walk-in cooler as the "cooling" shelf. Uncover containers of food during the initial quick cool-down phase to facilitate cooling.
- 13. Clean the exterior surfaces of food containers, such as cans and jars, of visible soil before opening.
- 14. Store damaged goods in a separate location. Refer to Damaged or Discarded Product Log SOP.

# **SOP #14 - Preventing Cross Contamination During Storage and Preparation, continued**

### **MONITORING:**

1. A designated school nutrition employee will continually monitor food storage and preparation to ensure that food is not cross contaminated.

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Separate foods found improperly stored.
- 3. Discard ready-to-eat foods that are contaminated by raw eggs, raw fish, raw meat, or raw poultry.

- The foodservice manager will visually observe that employees are following these procedures and taking all necessary corrective actions during all hours of operation.
- 2. The foodservice manager will periodically check the storage of foods during hours of operation and complete the Food Safety Checklist twice per year.
- 3. The Food Safety Checklist will be kept on file for a minimum of 1 year.
- 4. Foodservice employees will document any discarded food on the Damaged and Discarded Product Log.
- The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged and Discarded Product Log as necessary.
- 6. The Damaged and Discarded Product Log is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	_BY:

## **SOP #15 - Receiving Deliveries**

**PURPOSE:** To ensure that all food is received fresh and safe when it enters the school nutrition facility and to transfer food to proper storage as quickly as possible.

**SCOPE:** This procedure applies to school nutrition employees who handle, prepare, or serve food.

**KEY WORDS:** Cross Contamination, Temperatures, Receiving, Holding, Frozen Goods, Delivery

### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Schedule deliveries to arrive at designated times during operational hours.
- 4. Post the delivery schedule, including the names of vendors, days and times of deliveries, and drivers' names.
- 5. Establish a rejection policy to ensure accurate, timely, consistent, and effective refusal and return of rejected goods.
- 6. Organize freezer and refrigeration space, loading docks, and store rooms before deliveries.
- 7. Gather product specification lists and purchase orders, temperature logs, calibrated thermometers, pens, flashlights, and clean loading carts before deliveries. Refer to the Using and Calibrating Thermometers SOP.
- 8. Keep receiving area clean and well lighted.
- 9. Do not touch ready-to-eat foods with bare hands.
- 10. Determine whether foods will be marked with the date arrival or the "use by" date and mark accordingly upon receipt.
- 11. Compare delivery invoice against products ordered and products delivered.
- 12. Transfer foods to their appropriate locations as quickly as possible.
- 13. Verify that Key Drop Deliveries are from approved supplier, stored properly, protected from contamination, and presented authentically.

### **MONITORING:**

- 1. Inspect the delivery truck when it arrives to ensure that it is clean, free of putrid odors, and organized to prevent cross contamination. Be sure refrigerated foods are delivered on a refrigerated truck.
- 2. Check the interior temperature of refrigerated trucks periodically.
- 3. Confirm vendor name, day and time of delivery, as well as driver's identification before accepting delivery. If driver's name is different from what is indicated on the delivery schedule, contact the vendor immediately.
- 4. Check frozen foods to ensure that they are all frozen solid and show no signs of thawing and refreezing, such as the presence of large ice crystals or liquids on the bottom of cartons.

## SOP #15 - Receiving Deliveries, continued

### **MONITORING** continued:

- 5. Check the temperature of refrigerated foods.
  - For fresh meat, fish, and poultry products, insert a clean and sanitized thermometer into the center of the product to ensure a temperature of 41°F or below. The temperature of milk should be 45°F or below. Milk may be received at 45°F, but must be stored at 41°F.
  - For packaged products, insert a food thermometer between two packages being careful not to puncture the wrapper. If the temperature exceeds 41°F, it may be necessary to take the internal temperature before accepting the product.
  - For eggs, the interior temperature of the truck should be 45°F or below.
- 6. Check expiration dates of milk, eggs, and other perishable goods to ensure safety and quality.
- 7. Check the integrity of food packaging.
- 8. Check the cleanliness of crates and other shipping containers before accepting products. Reject foods that are shipped in dirty crates.

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Reject the following:
  - Frozen foods with signs of previous thawing.
  - Cans that have signs of deterioration, such as swollen sides or ends, flawed seals or seams, dents, or rust.
  - Punctured packages.
  - Foods with outdated expiration dates.
  - Foods that are out of safe temperature zone or deemed unacceptable by the established rejection policy.

# **SOP #15 - Receiving Deliveries, continued**

- 1. Record the temperature and the corrective action on the delivery invoice or on the Receiving Log.
- 2. The foodservice manager will verify that foodservice employees are receiving products using the proper procedure by visually monitoring receiving practices during the shift and reviewing the Receiving Log at the close of each day.
- 3. Receiving Logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 20</u>	22 BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #16 - Reheating Time/Temperature Control for Safety Foods

**PURPOSE:** To prevent foodborne illness by ensuring that all foods are reheated to the appropriate internal temperature.

**SCOPE:** This procedure applies to school nutrition employees who prepare or serve food.

**KEY WORDS:** Cross Contamination, Temperatures, Reheating, Holding, Hot Holding, Time/Temperature Control for Safety Foods, TCS Foods

### **INSTRUCTIONS:**

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
- 3. Heat processed ready-to-eat foods from a package or can, such as canned green beans or prepackaged breakfast burritos, to an internal temperature of at least 135 ° F for 15 seconds for hot holding.
- 4. Reheat the following products to 165°F for 15 seconds:
  - Any food that is cooked, cooled, and reheated for hot holding
  - Leftovers reheated for hot holding
  - Products made from leftovers, such as soup
  - Precooked, processed foods that have been previously cooled
- Reheat food for hot holding in the following manner if using a microwave oven:
  - Heat processed, ready-to-eat foods from a package or can to at least 135°F for 15 seconds
  - Heat leftovers to 165°F for 15 seconds
  - Rotate (or stir) and cover foods while heating
  - Allow to sit for 2 minutes after heating
- 6. Reheat all foods rapidly. The total time the temperature of the food is between 41°F and 165°F may not exceed 2 hours.
- 7. Serve reheated food immediately or transfer to an appropriate hot holding unit.

### **MONITORING:**

- 1. Use a clean, sanitized, and calibrated probe thermometer.
- 2. Take at least two internal temperatures from each pan of food.

# **SOP #16 - Reheating Time/Temperature Control for Safety Foods, continued**

### CORRECTIVE ACTION:

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Continue reheating and heating food if the internal temperature does not reach the required temperature.

- 1. Foodservice employees will record product name, time, the temperatures/times, and any corrective action taken on the Cooking and Reheating Temperature Log or Production Record and Corrective Action Form.
- Foodservice manager will verify that foodservice employees have taken the
  required reheating temperatures by visually monitoring foodservice employees
  during the shift and reviewing, initialing, and dating the Cooking and Reheating
  Temperature Log or Production Record and Corrective Action Forms at the
  close of each day.
- 3. The Temperature Logs or Production Records and Corrective Action Forms are kept on file for a minimum of 3 years.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u> BY:	Sarah Brazier
DATE REVISED:	BY:

# SOP #17 - Serving Food

**PURPOSE:** To prevent foodborne illness by ensuring that all foods are served in a sanitary manner.

**SCOPE:** This procedure applies to school nutrition employees who serve food.

**KEY WORDS:** Cross Contamination, Service, Serving Food

### INSTRUCTIONS:

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
- 3. Follow the employee health policy. (Employee health policy is not included in this resource.)
- 4. Wash hands before putting on gloves, each time the gloves are changed, when changing tasks, and before serving food with utensils. Refer to the Washing Hands SOP.
- 5. Avoid touching ready-to-eat foods with bare hands. Refer to the Using Suitable Utensils when Handling Ready-To-Eat Foods SOP.
- 6. Handle plates by the edge or bottom; cups by the handle or bottom; and utensils by the handles.
- 7. Store utensils with the handles up or by other means to prevent contamination.
- 8. Hold time/temperature control for safety food at the proper temperature. Refer to the Hot and Cold Holding for Time/Temperature Control for Safety Foods.
- 9. Serve food with clean and sanitized utensils.
- 10. Store in-use utensils properly. Refer to the Storing In-Use Utensils SOP.
- 11. Date mark and cool time/temperature control for safety foods or discard leftovers. Refer to the Date Marking Ready-to-Eat, Time/Temperature Control for Safety Foods, and Cooling Time/Temperature Control for Safety Foods SOPs.

### **MONITORING:**

1. A designated school nutrition employee will visually observe that food is being served in a manner that prevents contamination during all hours of service.

# SOP #17 - Serving Food, continued

### CORRECTIVE ACTION:

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Replace improperly handled plates, cups, or utensils.
- 3. Discard ready-to-eat food that has been touched with bare hands.
- 4. Follow the corrective actions identified in the Washing Hands; Using Suitable Utensils When Handling Ready-To-Eat Foods; Date Marking Ready-to-Eat, Time/Temperature Control for Safety Foods; Cooling Time/Temperature Control for Safety Foods; and Hot and Cold Holding for Time/Temperature Control for Safety Foods SOPs.

- 1. The foodservice manager will periodically check the storage and use of utensils during service.
- In addition, the foodservice manager will complete the Food Safety Checklist twice per year. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: December 28, 20	022 BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #18 - Serving Safe Food to Students with Food Allergies

**PURPOSE:** To serve safe and nutritious meals to students with food allergies.

**SCOPE:** This procedure applies to child nutrition employees involved in preparing and serving food to students with food allergies.

**KEY WORDS:** Allergies, Cleaning, Cross contact, Handwashing

- 1. Follow policies and procedures of your child nutrition operation and school district.
- 2. Use your receiving procedures.
  - Check all ingredient labels each time a food is purchased.
  - Date each food item when received.
- 3. Store food items that contain allergens in a separate location from the non-allergenic items.
- 4. Keep ingredient labels for a minimum of 24 hours after serving the product.
- 5. Prevent cross contact during food preparation.
  - Wash hands before preparing foods.
  - Wear single-use gloves.
  - Use a clean apron when preparing allergen-free food.
  - Wash, rinse, and sanitize all cookware before and after each use.
  - Wash, rinse, and sanitize food contact surfaces.
  - Designate an allergy-free zone in the kitchen. When working with multiple food allergies, set up procedures to prevent cross contact within the allergy-free zone.
  - Prepare food items that do not contain allergens first. Label and store the allergen-free items separately.
  - Use a clean, sanitized cutting board when preparing food.
  - Use clean potholders and oven mitts for allergen-free foods to prevent cross contact.
- 6. Prevent cross contact during meal service.
  - Set aside food for students with food allergies from self-service food areas, such as salad bars, before the food is set out.
  - Use dedicated serving utensils and gloves for allergen-free foods.
  - Label items on the serving line correctly and clearly so that items containing food allergens are easily recognizable.
  - Ensure that tables and chairs are cleaned and sanitized before and after each meal and when needed.
- 7. Follow your school's procedures for identifying students with food allergies.

# SOP #18 - Serving Safe Food to Students with Food Allergies, continued

### **MONITORING:**

1. A child nutrition employee continually monitors receiving, preparation, and serving areas to assess whether food allergy procedures are being followed.

### **CORRECTIVE ACTION:**

- 1. Retrain any child nutrition employee found not following the procedures in this SOP.
- Refrain from serving any food to a student with a food allergy if there is any question as to whether or not an allergen might be present in that particular food.
- 3. Activate the emergency action plan immediately if a student with the potential for anaphylaxis consumes a food allergen.

- 1. The child nutrition manager will observe child nutrition staff to make sure they are following these procedures and are taking all necessary corrective actions.
- 2. The manager will keep a list of corrective actions taken.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	RV∙

## SOP #19 - Storing and Using Poisonous or Toxic Chemicals

**PURPOSE:** To prevent foodborne illness by chemical contamination.

**SCOPE:** This procedure applies to school nutrition employees who use chemicals in the kitchen.

**KEY WORDS:** Chemicals, Contamination, Safety Data Sheet

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Designate a location for storing the Safety Data Sheets (SDS).
- 4. Follow manufacturer's directions for specific mixing, storing, and first aid instructions on the chemical containers in the SDS.
- Label and date all poisonous or toxic chemicals with the common name of the substance.
- 6. Store all chemicals in a designated secured area away from food and food contact surfaces using spacing or partitioning.
- 7. Limit access to chemicals by use of locks, seals, or key cards.
- 8. Maintain an inventory of chemicals.
- 9. Store only chemicals that are necessary to the operation and maintenance of the kitchen.
- 10. Mix, test, and use sanitizing solutions as recommended by the manufacturer and the state or local health department.
- 11. Use the appropriate chemical test kit to measure the concentration of sanitizer each time a new batch of sanitizer is mixed.
- 12. Do not use chemical containers for storing food or water.
- 13. Use only hand sanitizers that comply with the *FDA Food Code*. Confirm with the manufacturer that the hand sanitizers used meet the requirements of the *FDA Food Code*.
- 14. Label and store first aid supplies in a container that is located away from food or food contact surfaces.
- 15. Label and store medicines for employee use in a designated area and away from food contact surfaces. Do not store medicines in food storage areas.
- 16. Store refrigerated medicines in a covered, leak proof container where they are not accessible to children and cannot contaminate food.

# SOP #19 - Storing and Using Poisonous or Toxic Chemicals, continued

### **MONITORING:**

 School nutrition employees and school nutrition manager will visually observe that chemicals are being stored, labeled, and used properly during all hours of operation.

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Discard any food contaminated by chemicals.
- 3. Label and properly store any unlabeled or misplaced chemicals.

- 1. The foodservice manager will complete the Food Safety Checklist twice per year to indicate that monitoring is completed.
- Foodservice employees will record the name of the contaminated food, date, time, and the reason why the food was discarded on the Damaged and Discarded Product Log.
- The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged and Discarded Product Log as necessary.
- 4. The Food Safety Checklist and Damaged and Discarded Product Logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	': <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #20 - Transporting Food to Remote Sites (Satellite Kitchens)

**PURPOSE:** To prevent foodborne illness by ensuring that food temperatures are maintained during transportation and contamination is prevented.

**SCOPE:** This procedure applies to school nutrition employees who transport food from a central kitchen to remote sites (satellite kitchens).

**KEY WORDS:** Hot Holding, Cold Holding, Reheating, Cooling, Transporting Food

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- If state or local health department requirements are based on the FDA Food Code:
  - Keep frozen foods frozen during transportation.
  - Maintain the temperature of refrigerated, time/temperature control for safety foods at 41°F or below and cooked foods that are transported hot at 135°F or above.
- Use only food carriers for transporting food approved by the National Sanitation Foundation International or that have otherwise been approved by the state or local health department.
- 5. Prepare the food carrier before use:
  - Ensure that all surfaces of the food carrier are clean.
  - Wash, rinse, and sanitize the interior surfaces.
  - Ensure that the food carrier is designed to maintain cold food temperatures at 41°F and hot food temperatures at 135°F or above.
  - Place a calibrated stem thermometer in the warmest part of the carrier if used for transporting cold food, or the coolest part of the carrier if used for transporting hot food. Refer to the Using and Calibrating Thermometers SOP.
  - Pre-heat or pre-chill the food carrier according to the manufacturer's recommendations.
- 6. Store food in containers suitable for transportation. Containers should be:
  - Rigid and sectioned so that foods do not mix
  - Tightly closed to retain the proper food temperature
  - Nonporous to avoid leakage
  - Easy-to-clean or disposable
  - Approved to hold food

# SOP #20 - Transporting Food to Remote Sites (Satellite Kitchens), continued

### **INSTRUCTIONS**, continued:

- 7. Place food containers in food carriers and transport the food in clean trucks, if applicable, to remote sites as quickly as possible.
- 8. Follow Receiving Deliveries SOP when food arrives at remote site.

### **MONITORING:**

- 1. Check the air temperature of the food carrier to ensure that the temperature suggested by the manufacturer is reached prior to placing food into it.
- Check the internal temperatures of food using a calibrated thermometer before
  placing it into the food carrier. Refer to the Hot and Cold Holding for
  Time/Temperature Control for Safety Foods SOP for the proper procedures to
  follow when taking holding temperatures.

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Continue heating or chilling food carrier if the proper air temperature is not reached.
- Reheat food to 165°F for 15 seconds if the internal temperature of hot food is less than 135°F. Refer to the Reheating Time/Temperature Control for Safety Foods SOP.
- 4. Cool food to 41°F or below using a proper cooling procedure if the internal temperature of cold food is greater than 41°F. Refer to the Cooling Time/Temperature Control for Safety Foods SOP for the proper procedures to follow when cooling food.
- 5. Discard foods held in the danger zone for greater than 4 hours.

- Before transporting food to remote sites, foodservice employees will record food carrier temperature, food product name, time, internal temperatures, and any corrective action taken on the Hot and Cold Holding Temperature Log or Production Record and Corrective Action Form.
- 2. Upon receipt of food at remote sites, foodservice employees will record receiving temperatures and corrective action taken on the Receiving Log or Satellite/Vended Production Record and Corrective Action Form.
- The foodservice manager at central kitchens will verify that foodservice employees are following this SOP by visually observing employees and reviewing and initialing the Hot and Cold Holding Temperature Log or Production Record and Corrective Action Forms daily.

# SOP #20 - Transporting Food to Remote Sites (Satellite Kitchens), continued

### **VERIFICATION AND RECORD KEEPING, continued:**

- 4. The foodservice manager at the remote site(s) will verify that foodservice employees are receiving foods at the proper temperature and following the proper receiving procedures by visually observing receiving practices during the shift and reviewing and initialing the Receiving Log or Satellite/Vended Production Record and Corrective Action Forms daily.
- 5. All logs or production records and corrective action forms are kept on file for a minimum of 3 years.
- 6. The foodservice manager will complete the Food Safety Checklist twice per year. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 20</u>	D22 BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #21 - Using and Calibrating Thermometers

**PURPOSE:** To prevent foodborne illness by ensuring that the appropriate type of thermometer is used to measure internal product temperatures and that thermometers used are correctly calibrated for accuracy.

**SCOPE:** This procedure applies to school nutrition employees who prepare, cook, and cool food.

**KEY WORDS:** Thermometers, Calibration

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Follow the food thermometer manufacturer's instructions for use. Use a food thermometer that measures temperatures from 0°F (-18°C) to 220°F (104°C) and is appropriate for the temperature being taken. For example:
  - Temperatures of thin products, such as hamburgers, chicken breasts, pizza, filets, nuggets, hot dogs, and sausage patties, must be taken using a thermistor or thermocouple with a thin probe.
  - Bimetallic, dial-faced stem thermometers are accurate only when measuring temperatures of thick foods. They may not be used to measure temperatures of thin foods. A dimple mark located on the stem of the thermometer indicates the maximum food thickness that can be accurately measured.
  - Use only oven-safe, bimetallic thermometers when measuring temperatures of food while cooking in an oven.
- 4. Have food thermometers easily-accessible to school nutrition employees during all hours of operation.
- 5. Clean and sanitize food thermometers before each use. Refer to the Cleaning and Sanitizing Food Contact Surfaces SOP for the proper procedure to follow.
- 6. Store food thermometers in an area that is clean and where they are not subject to contamination.

# SOP #21 - Using and Calibrating Thermometers, continued

### **MONITORING:**

- 1. School nutrition employees will use either the ice-point method or boiling- point method to verify the accuracy of food thermometers. This is known as calibration of the thermometer.
- 2. To use ice-point method:
  - Insert the thermometer probe into a cup of crushed ice.
  - Add enough cold water to remove any air pockets that might remain. Allow to sit for 1 minute.
  - Allow the temperature reading to stabilize before reading temperature.
  - Temperature measurement should be 32°F (± 2°F) [or 0°C (± 1°C)]. If not, adjust according to manufacturer's instructions.
- 3. To use boiling-point method:
  - Immerse at least the first two inches of the probe into boiling water.
  - Allow the temperature reading to stabilize before reading temperature.
  - Reading should be 212°F (± 2°F) [or 100°C (± 1°C)]. This reading may vary at higher altitudes. If adjustment is required, follow manufacturer's instructions.
- 4. School nutrition employees will check the accuracy of the food thermometers:
  - At regular intervals (at least once per week)
  - If dropped
  - If used to measure extreme temperatures, such as in an oven
  - Whenever accuracy is in question

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. For an inaccurate, bimetallic, dial-faced thermometer, adjust the temperature by turning the dial while securing the calibration nut (located just under or below the dial) with pliers or a wrench.
- 3. For an inaccurate, digital thermometer with a reset button, adjust the thermometer according to manufacturer's instructions.
- 4. If an inaccurate thermometer cannot be adjusted on-site, discontinue using it, and follow manufacturer's instructions for having the thermometer calibrated.
- 5. Retrain employees who are using or calibrating food thermometers improperly.

# **SOP #21 - Using and Calibrating Thermometers,** continued

- 1. Foodservice employees will record the calibration temperature and any corrective action taken, if applicable, on the Thermometer Calibration Log each time a thermometer is calibrated.
- 2. The foodservice manager will verify that foodservice employees are using and calibrating thermometers properly by making visual observations of the employees during the calibration process and all operating hours.
- 3. The foodservice manager will review and initial the Calibration Log as necessary. (weekly or monthly)
- 4. The Calibration Log will be kept on file a minimum of 1 year.
- 5. The foodservice manager will complete the Food Safety Checklist twice per year.
- 6. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2</u>	022 BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #22 - Using Suitable Utensils When Handling Ready-to-Eat Foods

**PURPOSE:** To prevent foodborne illness due to hand-to-food cross contamination.

**SCOPE:** This procedure applies to school nutrition employees who prepare, handle, or serve food.

**KEY WORDS:** Ready-to-Eat Food, Cross Contamination

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Use proper handwashing procedures to wash hands and exposed arms prior to preparing or handling food or at anytime when the hands may have become contaminated.
- 4. Do not use bare hands to handle ready-to-eat foods at any time unless washing fruits and vegetables.
- 5. Use suitable utensils when working with ready-to-eat food. Suitable utensils may include:
  - Single-use gloves
  - Deli tissue
  - Foil wrap
  - Tongs, spoodles, spoons, and spatulas
- 6. Wash hands and change gloves:
  - Before beginning food preparation
  - Before beginning a new task
  - After touching equipment such as refrigerator doors or utensils that have not been cleaned and sanitized
  - After contacting chemicals
  - When interruptions in food preparation occur, such as when answering the telephone or checking in a delivery
  - When handling money
  - Anytime a glove is torn, damaged, or soiled
  - Anytime contamination of a glove might have occurred
  - Between handling raw meat and ready-to-eat foods

# SOP #22 - Using Suitable Utensils When Handling Ready-to-Eat Foods, continued

### **MONITORING:**

 A designated school nutrition employee will visually observe that gloves or suitable utensils are used and changed at the appropriate times during all hours of operation.

### **CORRECTIVE ACTION:**

- 2. Retrain any school nutrition employee found not following the procedures in this SOP.
- 3. Discard ready-to-eat food touched with bare hands.

- The foodservice manager will verify that foodservice workers are using suitable utensils by visually monitoring foodservice employees during all hours of operation.
- The foodservice manager will complete the Food Safety Checklist twice per vear.
- 3. The designated foodservice employee responsible for monitoring will record any discarded food on the Damaged and Discarded Product Log.
- 4. The Food Safety Checklist and Damaged and Discarded Food Log are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# SOP #23 - Using Time Alone as a Public Health Control to Limit Bacteria Growth in Time/Temperature Control for Safety Foods

**PURPOSE:** To prevent foodborne illness by ensuring that time/temperature control for safety foods are not held in the temperature danger zone for more than 4 hours before being cooked or served.

**SCOPE:** This procedure applies to school nutrition employees that handle, prepare, cook, and serve food.

**KEY WORDS:** Temperatures, Holding, Time As a Public Health Control, Time/Temperature Control for Safety Foods, TCS Foods

- 1. Train school nutrition employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow state or local health department requirements.
  - Identify the specific foods for which time rather than temperature will be used to limit bacteria growth: (Examples: pizza, shredded cheese, raw vegetables, canned/frozen/fresh fruit, French fries, cold salads (w/out protein, mayo or sour cream) in a vinegar-based dressing, pasta/noodles without protein, cut tomatoes)
  - Refer to the Cooling Time/Temperature Control for Safety Foods SOP for cooling of these specified foods.
  - Cooks and/or designated school nutrition employees will communicate to servers when the specific foods are past the point of 4 hours from when the food is removed from temperature control, such as an oven or refrigerator.

### SOP #23 - Using Time Alone as a Public Health Control to Limit Bacteria Growth in Time/Temperature Control for Safety Foods, continued

### **INSTRUCTIONS**, continued:

- 3. Cook raw time/temperature control for safety food within 4 hours past the point when the food is removed from temperature control.
- 4. Serve or discard cooked or ready-to-eat food within 4 hours past the time when the food is removed from temperature control.
- 5. Avoid mixing different batches of food together in the same container. If different batches of food are mixed together in the same container, use the time associated with the first batch of food as the time by which to cook, serve, or discard all the food in the container.

### **MONITORING:**

- 1. School nutrition employees will continually monitor that foods are properly marked or identified with the time that is 4 hours past the point when the food is removed from temperature control.
- 2. School nutrition employees will continually monitor that foods are cooked, served, or discarded by the indicated time.

#### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- Discard unmarked or unidentified food or food that is noted to exceed the 4hour limit.

- 1. Foodservice employees will mark or otherwise identify food as specified in the Instructions Section of this SOP.
- 2. The foodservice manager will verify that foodservice employees are following this procedure by visually monitoring foodservice employees and food handling during the shift.
- The foodservice manager will complete the Food Safety Checklist twice per year.
- 4. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 26</u>	022 BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u>	BY: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# **SOP #24 - Washing Fruits and Vegetables**

**PURPOSE:** To prevent or reduce risk of foodborne illness or injury by contaminated fruits and vegetables.

**SCOPE:** This procedure applies to school nutrition employees who prepare or serve food.

**KEY WORDS:** Fruits, Vegetables, Cross Contamination, Washing

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- 3. Wash hands using the proper procedure.
- 4. Wash, rinse, sanitize, and air-dry all food-contact surfaces, equipment, and utensils that will be in contact with produce, such as cutting boards, knives, and sinks.
- 5. Follow manufacturer's instructions for proper use of chemicals.
- 6. Wash all raw fruits and vegetables thoroughly before combining with other ingredients, including:
  - Unpeeled fresh fruit and vegetables that are served whole or cut into pieces.
  - Fruits and vegetables that are peeled and cut to use in cooking or served ready-to-eat.
- 7. Wash fresh produce vigorously under cold running water or by using chemicals that comply with the *FDA Food Code*. Packaged fruits and vegetables labeled as being previously washed and ready-to-eat are not required to be washed.
- 8. Scrub the surface of firm fruits or vegetables such as apples or potatoes using a clean and sanitized brush designated for this purpose.
- 9. Remove any damaged or bruised areas.
- 10. Label, date, and refrigerate fresh-cut items.
- 11. Serve cut melons within 7 days if held at 41°F or below. Refer to the Date Marking Ready-to-Eat, Time/Temperature Control for Safety Food SOP.
- 12. Do not serve raw seed sprouts to highly susceptible populations such as preschool-age children.

# SOP #24 - Washing Fruits and Vegetables, continued

### **MONITORING:**

- 1. The school nutrition manager will visually monitor that fruits and vegetables are being properly washed, labeled, and dated during all hours of operation.
- 2. School nutrition employees will check daily the quality of fruits and vegetables in cold storage.

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Remove unwashed fruits and vegetables service and washed immediately before being served.
- 3. Label and date fresh cut fruits and vegetables.
- 4. Discard cut melons held after 7 days.

- 1. The foodservice manager will complete the Food Safety Checklist twice per year to indicate that monitoring is being conducted as specified in this SOP.
- 2. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: <u>Maurice Brazier</u>
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	BY:

## **SOP #25 - Washing Hands**

**PURPOSE:** To prevent foodborne illness by contaminated hands.

**SCOPE:** This procedure applies to anyone who handles, prepares, and serves food.

**KEY WORDS:** Handwashing, Cross Contamination

- 1. Train school nutrition employees on using the procedures in this SOP.
- 2. Follow state or local health department requirements.
- Post handwashing signs or posters in a language understood by all school nutrition employees near all handwashing sinks, in food preparation areas, and restrooms.
- 4. Use designated handwashing sinks for handwashing only. Do not use food preparation, utility, and dishwashing sinks for handwashing.
- 5. Provide warm running water, soap, and a means to dry hands. Provide a waste container at each handwashing sink or near the door in restrooms.
- 6. Keep handwashing sinks accessible anytime employees are present.
- 7. Wash hands:
  - Before starting work
  - During food preparation
  - When moving from one food preparation area to another
  - Before putting on or changing gloves
  - After using the toilet
  - After sneezing, coughing, or using a handkerchief or tissue
  - After touching hair, face, or body
  - Eating, drinking, or chewing gum
  - After handling raw meats, poultry, or fish
  - After any clean up activity such as sweeping, mopping, or wiping counters
  - After touching dirty dishes, equipment, or utensils
  - After handling trash
  - After handling money
  - After any time the hands may become contaminated
- 8. Follow proper handwashing procedures as indicated below:
  - Wet hands and forearms with warm, running water at least 100°F and apply soap.
  - Scrub lathered hands and forearms, under fingernails, and between fingers for at least 10-15 seconds. Rinse thoroughly under warm running water for 5-10 seconds.
  - Dry hands and forearms thoroughly with single-use paper towels.
  - Dry hands using a warm air hand dryer.

## SOP #25 - Washing Hands, continued

### **INSTRUCTIONS**, continued:

- Turn off water using paper towels.
- Use paper towel to open door when exiting the restroom.
- 9. Follow FDA recommendations when using hand sanitizers. These recommendations are as follows:
  - Use hand antiseptics, also called hand sanitizers, only after hands have been properly washed and dried.
  - Use only hand sanitizers that comply with the FDA Food Code. Confirm with the manufacturers that the hand sanitizers used meet these requirements.
  - Use hand sanitizers in the manner specified by the manufacturer.

#### MONITORING:

- 1. A designated employee will visually observe the handwashing practices of the school nutrition employees during all hours of operation.
- 2. The designated employee will visually observe that handwashing sinks are properly supplied during all hours of operation.

### **CORRECTIVE ACTION:**

- 1. Retrain any school nutrition employee found not following the procedures in this SOP.
- 2. Ask employees that are observed not washing their hands at the appropriate times or using the proper procedure to wash their hands immediately.
- 3. Retrain employee to ensure proper handwashing procedure.

- 1. The foodservice manager will complete the Food Safety Checklist twice per year to indicate that monitoring is being conducted as specified.
- 2. The Food Safety Checklist is to be kept on file for a minimum of 1 year

DATE IMPLEMENTED: <u>December 28, 2022</u>	BY: Maurice Brazier
DATE REVIEWED: <u>December 28, 2022</u> BY	: <u>Sarah Brazier</u>
DATE REVISED:	BY:

# HACCP-Based Standard Operating Record Keeping Forms

Production Record Form #51	65
Production Record Form #83	66
Production Log	67
Cooking and Reheating Temperature Log	68
Hot and Cold Holding Temperature Log	69
Cooling Temperature Log	70
Damaged or Discarded Product Log	71
Food Contract Surfaces Cleaning and Sanitizing Log	72
Receiving Log	73
Refrigeration Log	74
Thermometer Calibration Log	75
Food Safety Checklist	76

Name:					Date:											To	tal Meal	s Served	
ving Line:															1				
al Type:	Breakfas		Lunch		Grade											Adults:	_		_
er vs Serve:	Yes		No		Group:	K-5		6 - 8		K - 8		9 - 12				TOTAL:			
				С	reditab	le Me	al Comp	onent	t Contri	bution	:			# Portion	ıs Used		Tempe	eratures Ilding, Coolin	VV
MENU ITEMS	Recipe # or Product Name/ Code	HACCP Process NC/SD/C	Portion Size	MEAT/ Meat Alt. (oz eq)	GRAINS WGR (oz eq)	VEG. Dark Green (cups)	VEG. Red/ Org. (cups)	VEG. Legumes (cups)	VEG. Starchy (cups)	VEG. Other (cups)	FRUIT (cups)	# Portions Planned	# Portions Left Over		Non- Reimb. (a la corte & adult)	Time/ Temp	Time/ Temp	Time/ Temp	Time/ Temp
																$\leq$			
								_							_	-			
																/		/	
																4			
						-					_				-	-			
																$\geq$			
																$\leq$			
	+ -															$\leftarrow$			
																=			
HACCP Process:	CCP:	CL:				C	OOKING	3:	TEMP:	TIN	E:					Total Milk Usage:			
Section of Assessment	Critical Control Pts	Critical Limits				Fruits & \	/egs		135°F	15 seco	nds				# 1/2 pts.	Temp.	Variety		
NC - No Cook	Cold Holding	41°F or ♥				Seafood-			145°F	15 seco	nds						1% White		
SD - Same Day	Cooking	& Time					/Ham Roas	sts-	145°F	4 minute								Chocolate	
	Hot Holding	135°F or ♠ Temp.	i.				Beef/Pork-		155°F	15 seco								Strawberry	
C - Complex	Cooking	& Time 70°F w/in	2				gets/Sticks-	2	155°F	15 seco		1					Fat Free	White	
	Cooling	2 hrs 41° F or $\Psi$ in add'l 4 hrs				Eggs-	tuffed Food	/Sour-	155°F	15 seco							Lactaid Other		
	Reheating	add14 hrs 165°F or ♠				D19/03 1 30-0	foods/Left		165°F	15 seco				L			Totner	-	
	Hot Holding	135°F or ♠				in co	Processed F	- In	Follow M	V	1.07								
			5						HACCP II	struction			Signature:						

Site Name:				65		Date:				400					To	tal Mea	als Serve	ed
Serving Line:															Students	:		
Meal Type:	Breakfa		Lunch			Grade									Adults:			
Offer vs Serve:	Yes		No			Group:	K - 5		6 - 8		K - 8		9 - 12		TOTAL:			
				Creditable Meal Component Contribution:						# Portion	ns Used		ICO	Temper		al		
MENU ITEMS	Recipe # or Product Name/ Code	Process NC/SD/C	Portion Size	MEAT/ Meat Alt. (oz eq)	GRAINS WGR (az eq)		*VEG. (group)	FRUIT (cups)	# Portions Planned	# Portions Left Over		Non- Reimb.	Time/ Temp	Time/ Temp	Time/	Time/ Temp	Time/ Temp	Tim Ter
	Code					_				Over		daneti						
	1			-	<u> </u>													
																/		
																/		
													/	/		/	/	
													/			/		
									0111222		HILITERIE		/			/		/
													/	/		/		/
													/			/	/	/
	*												/			/	/	
	_		-				-									/	/	/
			-	-		-	-											/
	_		-														-	_
			-															$\leq$
HACCP Process:	CCP: Critical	CL: Critical	*v	egetabl Dark	e Group	s:	C	OOKING	3:	TEMP:	TIME	<u>:</u>		#		l Milk L		
NC - No Cook	Control Pts Cold Holding	Limits 41°F or ₩	-	Green Red/Or	DG RO	-	Fruits & V Seafood-			135°F	15 second			1/2 pts.	Temp.	Variety 1% Whit		
SD - Same Day	Cooking	Yemp. & Time	1	Legumes	L			/Ham Roa	ete.	145°F	4 minutes					Fat Free		
3D - Same Day	Hot Holding	135°F or ♠	1	Starchy	S		Ground B		515-	155°F	15 second					Fat Free		-
C - Complex	Cooking	Temp. & Time	1	Other	0	1	Fish Nug	gets/Sticks	-	155°F	15 second	ls				Fat Free	White	
	Cooling	70°F w/in 2 hrs	1		X		Eggs-			155°F	15 second	is				Lactaid		
		41° For ♥ in add 14 hrs	1					uffed Food	l/Soup-	165°F	15 second	s				Other _		
	Reheating	165°F or <b>↑</b>	1					Foods/Let			15 second							
	Hot Holding	135°F or ♠					Pizza & P	rocessed F	oods	Follow Ma	nufacturer's		Signatu					

## Production Log

**Instructions:** School nutrition employees will record the date, product name, start and end time of production, the two temperature measurements taken, any corrective action taken, and the amount of food prepared on the Production Log. The school nutrition manager will verify that school nutrition employees are taking the required temperatures and following the proper preparation procedure by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the log daily. Maintain this log for 3 years.

Date	Start Time	Product Name	Temp #1	Temp #2	Amount Prepared	Corrective Actions	End Time	Employee Initials	Verified By/Date

## **Cooking and Reheating Temperature Log**

**Instructions:** Record product name, time, the two temperatures/times, and any corrective action taken on this form. The school nutrition manager will verify that school nutrition employees have taken the required cooking temperatures by visually monitoring school nutrition employees and preparation procedures during the shift and reviewing, initialing, and dating this log daily. Maintain this log for a minimum of 1 year.

Date and Food Item Time		Internal Temperature/ Time	Internal Temperature/ Time	Corrective Action Taken	Initials	Verified By/ Date

### **Hot and Cold Holding Temperature Log**

**Instructions**: A designated school nutrition employee will record the food item, date, time, temperature, corrective action, and initials on this log. The school nutrition manager will verify that school nutrition employees have taken the required temperatures by visually monitoring food employees during the shift and reviewing, initialing, and dating this log daily. Maintain this log for a minimum of 1 year.

Food Item	Date	Time/ Holding Temp	Time/ Holding Temp	Time/ Holding Temp	Corrective Action	Food Worker Initials	Manager Initials/ Date

### **Cooling Temperature Log**

**Instructions:** Record temperatures every hour during the cooling cycle. Record corrective actions, if applicable. The school nutrition manager will verify that the school nutrition staff is cooling food properly by visually monitoring school nutrition employees during the shift and reviewing, initialing, and dating this log daily. Maintain this log for a minimum of 1 year.

Date	Food Item	Time/ Temp	Time/ Temp	Time/ Temp	Time/ Temp	Time/ Temp	Time/ Temp	Corrective Actions Taken	Initials	Verified By/ Date

### **Damaged or Discarded Product Log**

**Instructions:** School nutrition employees will record product name, quantity, action taken, reason, initials, and date each time a food or food product is damaged and/or will be discarded. The school nutrition manager will verify that foodservice employees are discarding damaged food properly by visually monitoring school nutrition employees during the shift and reviewing, initialing, and dating this log daily. Maintain this log for a minimum of 1 year.

Date	Time	Vendor or School	Product Name	Temperature	Corrective Action Taken	Initials/Date	Manager Initials/Date

#### Food Contact Surfaces Cleaning and Sanitizing Log

**Instructions:** Record time, temperatures/sanitizer concentration, as appropriate and any corrective action taken on this form. The school nutrition manager will verify that food workers have taken the required information by visually monitoring school nutrition employees and preparation procedures during the shift and by reviewing, initialing, and dating this log daily. Maintain this log for a minimum of 1 year.

Date and Time		Wash Temperature	Rinse Temperature	Final Rinse (Sanitization) Temperature	Heat Sensitive Tape (place here)	Sanitizer Concentration (in ppm)	Corrective Action	Employee Initials	Verified By/ Date

#### **Receiving Log**

**Instructions:** Use this Log for deliveries or receiving foods from a centralized kitchen. Record any temperatures and corrective action taken on the Receiving Log. The school nutrition manager will verify that school nutrition employees are receiving products using the proper procedure by visually monitoring foodservice employees and receiving practices during the shift and reviewing the log daily. Maintain this log for a minimum of 1 year.

Date	Time Vendor or School				Corrective Action Taken	Initials/Date	Manager Initials/Date

#### **Refrigeration Log**

**Instructions**: A designated school nutrition employee will record the location or description of holding unit, date, time, air temperature, corrective action, and initials on this log. The school nutrition manager will verify that school nutrition employees have taken the required temperatures by visually monitoring school nutrition employees during the shift and reviewing, initialing, and dating this log daily. Maintain this log for a minimum of 1 year.

Location/ Unit Description	Date	Time	Temperature	Corrective Action	Food Worker Initials	Manager Initials/ Date

#### **Thermometer Calibration Log**

**Instructions**: School nutrition employees will record the calibration temperature and corrective action taken, if applicable, on the Thermometer Calibration Log each a time thermometer is calibrated. The school nutrition manager will verify that school nutrition employees are using and calibrating thermometers properly by making visual observations of employee activities during all hours of operation. The school nutrition manager will review and initial the log daily. Maintain this log for a minimum of 1 year.

Date	Thermometer Being Calibrated	Temperature Reading	Corrective Action	Initials	Mger Initials/ Date

#### **FOOD SAFETY CHECKLIST**

DateObserver			
Directions: Use this checklist weekly, monthly or twice per year. De requiring corrective action. Record corrective action taken and keep confuture reference.			
PERSONAL HYGIENE	Yes	No	Corrective Action
• Employees wear clean and proper uniform including shoes.			
• Effective hair restraints are properly worn.			
• Fingernails are short, unpolished, and clean (no artificial nails).			
• Jewelry is limited to a plain ring, such as wedding band.			
• Hands are washed properly, frequently, and at appropriate times.			
<ul> <li>Burns, wounds, sores or scabs, or splints and water-proof bandages on hands are bandaged and completely covered with a single-use</li> </ul>			
glove while handling food.			_
• Eating, drinking, and chewing gum are allowed only in designated			
areas.			
• Employees use disposable tissues when coughing or sneezing and			
then immediately wash hands.			
• Employees appear in good health.			
• Hand sinks are unobstructed, operational, and clean.			
• Hand sinks are stocked with soap, disposable towels, and warm water.			
• A handwashing reminder sign is posted.			_
• Employee restrooms are operational and clean.		□ .	
FOOD PREPARATION	Yes	No	Corrective Action
<ul> <li>All food stored or prepared in facility is from approved sources.</li> <li>Food equipment utensils, and food contact surfaces are properly</li> </ul>			
<ul><li>washed, rinsed, and sanitized before every use.</li><li>Frozen food is thawed under refrigeration, cooked to proper</li></ul>		□ .	
temperature from frozen state, or in cold running water.			
• Thawed food is not refrozen.			
• Preparation is planned so ingredients are kept out of the temperature		-	
danger zone to the extent possible.			
• Food is tasted using the proper procedure.			
• Procedures are in place to prevent cross contamination.			
• Food is handled with suitable utensils, such as single-use gloves or			
tongs.			

•	Food is prepared in small batches to limit the time it is in the			
	temperature danger zone.			
•	Clean reusable towels are used only for sanitizing equipment and			
•	surfaces and not for drying hands, utensils, or floor. Food is cooked to the required safe internal temperature for the			
•	appropriate time. The temperature is tested with a calibrated food			
	thermometer.			
•	The internal temperature of food being cooked is monitored and			
	documented.			_
HO	OT HOLDING	Yes	No	Corrective Action
•	Hot holding unit is clean.			
•	Food is heated to the required safe internal temperature before			
_	placing in hot holding.			
•	Hot holding units are not used to reheat time/temperature control for safety foods.			
	•			
•	Hot holding unit is pre-heated before hot food is placed in unit.			
•	Temperature of hot food being held is at or above 135°F.			
<u> </u>	Food is protected from contamination.			
CC	OLD HOLDING	Yes	No	Corrective Action
•	Refrigerators are kept clean and organized.			
•	Temperature of cold food being held is at or below 41°F.			
•	Temperature of cold food being held is at or below 41°F.  Food is protected from contamination.			
• •	Food is protected from contamination.			
	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER	Yes	No	
RE	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.	Yes	No	
	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.	Yes	No	
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling	Yes	No	
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.	Yes	No □	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.  All food is properly wrapped, labeled, and dated.	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.  All food is properly wrapped, labeled, and dated.  The FIFO (First In, First Out) method of inventory management is	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.  All food is properly wrapped, labeled, and dated.  The FIFO (First In, First Out) method of inventory management is used.	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.  All food is properly wrapped, labeled, and dated.  The FIFO (First In, First Out) method of inventory management is used.  Ambient air temperature of all refrigerators and freezers is monitored and documented at the beginning and end of each shift.	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment.  Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.  All food is properly wrapped, labeled, and dated.  The FIFO (First In, First Out) method of inventory management is used.  Ambient air temperature of all refrigerators and freezers is monitored	Yes	No	Corrective Action
•	Food is protected from contamination.  CFRIGERATOR, FREEZER, AND MILK COOLER  Thermometers are available and accurate.  Temperature is appropriate for pieces of equipment. Food is stored at least 6 inches above the floor or in walk-in cooling equipment.  Refrigerator and freezer units are clean and neat.  Proper chilling procedures are used.  All food is properly wrapped, labeled, and dated.  The FIFO (First In, First Out) method of inventory management is used.  Ambient air temperature of all refrigerators and freezers is monitored and documented at the beginning and end of each shift.	Yes	No	Corrective Action

•	Food slicer is cleaned and sanitized after every use.			
	RGE EQUIPMENT	Yes	No	Corrective Action
	areas that will be in direct contact with food or a person's mouth.			
	Clean utensils are handled in a manner to prevent contamination of	Ц	Π -	
	Can opener is cleaned and sanitized before use.  Drawers and racks are cleaned and sanitized before use.			
	Thermometers are calibrated on a routine basis.			
	Thermometers are cleaned and sanitized after each use.		Π.	
			Π.	
	knives, are cleaned, sanitized, and allowed to air dry before use.  Work surfaces are cleaned and sanitized before use.		□ -	
•	ENSILS AND EQUIPMENT All small equipment and utensils, including cutting boards and		No	
•	Wiping cloths are stored in sanitizing solution while in use.			
	Smallware and utensils are allowed to air dry.  Wining cloths are stored in conitizing solution while in use		Π.	
			□ .	
•	171 °F water for 30 seconds. If using a chemical sanitizer, it is mixed correctly and a sanitizer strip is used to test chemical concentration.		П <u>.</u>	
•	Water temperatures are correct for washing and rinsing.  If heat sanitizing, the utensils are allowed to remain immersed in			
	Water is clean and free of grease and food particles.			
	recommended levels).		Π.	
•	Dishwasher is working properly (gauges and chemicals are at	_		
	Three-compartment sink is properly set up for ware washing.			Corrective Action
CT I	EANING AND SANITIZING	Voc	No	Corrective Action
•	Food is stored in original container or a food grade container.			
•	There is a regular cleaning schedule for all food surfaces.			
	related supplies.			
	Chemicals are clearly labeled and stored away from food and food-	Ц	ш.	
	All food surfaces are clean.			
	There are no bulging or leaking canned goods.  Food is protected from contamination.			
	The FIFO (First In, First Out) method of inventory management is used.			
	labeled with common name.		Π.	
	Open bags of food are stored in containers with tight fitting lids and	_		
•	All food is labeled with name and received date.		Π.	

•	Exhaust hood and filters are clean.			
G/	ARBAGE STORAGE AND DISPOSAL	Yes	No	<b>Corrective Action</b>
•	Kitchen garbage cans are clean and kept covered.			
•	Garbage cans are emptied as necessary, but at least daily.			
•	Boxes and containers are removed from site.			
•	Loading dock and area around dumpster are clean, and dumpsters have tight fitting lids.			
PE	ST CONTROL	Yes	No	Corrective Action
•	Outside doors have screens, are well-sealed, and are equipped with			
	self-closing devices.			
•	No evidence of pests is present.			
•	There is a regular schedule of pest control by a licensed pest control			
	operator.			

# Developing a HACCP-Based Food Safety Program Worksheets

Summary Table of Record Keeping for HACCP-Based SOP	82
Summary Table for Monitoring and Reviewing HACCP-Based SOP Record	85
Summary of Corrective Actions for HACCP-Based SOPs	89
Employee Food Safety Training Record	95
No-Cook Process	96
Same Day Service Process	97
Complex Food Process	98

	Summary Table of Record Keeping for HACCP-Based SOP												
	Cleaning and Sanitizing Log	Cooking- Reheating Temperature Log	Cooling Temperature Log	Damaged or Discarded Product Log	Food Safety Checklist	Hot and Cold Holding Temperature Log	Production Record/Log	Receiving Log	Thermometer Calibration Log	To Be Determined			
Cleaning and Sanitizing Food Contact Surfaces	х				Х								
Controlling Time and Temperature During Food Preparation					X		x						
Cooking		Х					Х						
Cooling			Х				Х						
Date Marking					Х								
Employee Health Policy										Х			
Handling a Food Recall				Х	X								
Holding Foods						Х	Х						

	Summary Table of Record Keeping for HACCP-Based SOP, continued										
	Cleaning and Sanitizing Log	Cooking- Reheating Temperature Log	Cooling Temperature Log	Damaged or Discarded Product Log	Food Safety Checklist	Hot and Cold Holding Temperature Log	Production Record/Log	Receiving Log	Thermometer Calibration Log	To Be Determined	
Personal Hygiene					Х						
Preventing Contamination at Food Bars				х	x	х	х				
Preventing Cross Contamination During Storage and Preparation				х	х						
Receiving Deliveries								х			
Reheating Time and Temperature Control for Safety Foods		х					х				
Serving Food					Х	Х					
Storing and Using Toxic Chemicals				х	х						

	Summary Table of Record Keeping for HACCP-Based SOP, continued										
	Cleaning and Sanitizing Log	Cooking- Reheating Temperature Log	Cooling Temperature Log	Damaged or Discarded Product Log	Food Safety Checklist	Hot and Cold Holding Temperature Log	Production Record/Log	Receiving Log	Thermometer Calibration Log	To Be Determined	
Transporting Food to Remote Sites					х	х	х	х			
Using and Calibrating a Food Thermometer					х				х		
Using Suitable Utensils When Handling Ready-to-Eat Foods				х	х						
Using Time Alone as a Public Health Control					х		Х				
Washing Fruits and Vegetables Washing Hands					x x						

#### Summary Table for Monitoring and Reviewing HACCP-Based SOP Record

Standard Operating Procedure	Record	Monitored by Whom	Reviewed by Whom
Cleaning and Sanitizing Food Contact Surfaces	Food Safety Checklist		
	Food Contact Surfaces Cleaning and Sanitizing Log		
Controlling Time and Temperature during Food Preparation	Food Safety Checklist		
during 1 ood 1 reparation	Production Record/Log		
Cooking	Production Record/Log or Cooking and Reheating Temperature Log		
Cooling	Production Record/Log or Cooling Temperature Log		
Date Marking	Food Safety Checklist		
Employee Health Policy	To be determined by school officials and state or local health department.		
Handling a Food Recall	Food Safety Checklist		
	Damaged or Discarded Product Log		

#### **Summary Table for Monitoring and Reviewing HACCP-Based SOP Record, continued**

Standard Operating Procedure	Record	Monitored by Whom	Reviewed by Whom
Holding Foods	Production Record/Log or Hot and Cold Holding Temperature Log Refrigeration Log		
Personal Hygiene	Food Safety Checklist  Damaged or Discarded  Product Log		
Preventing Contamination at Food Bars	Food Safety Checklist  Damaged or Discarded Product Log  Production Record/Log or Hot and Cold Holding Temperature Log		
Preventing Cross Contamination during Storage and Preparation	Food Safety Checklist  Damaged or Discarded  Product Log		

#### Summary Table for Monitoring and Reviewing HACCP-Based SOP Record, continued

Standard Operating Procedure	Record	Monitored by Whom	Reviewed by Whom
Receiving Deliveries	Receiving Log		
Reheating Time/Temperature Control for Safety Foods	Production Record/Log or Cooking and Reheating Temperature Log		
Serving Food	Food Safety Checklist		
Storing and Using Toxic Chemicals	Food Safety Checklist  Damaged or Discarded  Product Log		
Transporting Foods to Remote Sites	Food Safety Checklist  Production Record/Log or Hot and Cold Holding Temperature Log  Receiving Log		
Using and Calibrating a Food Thermometer	Food Safety Checklist Thermometer Calibration Log		

#### Summary Table for Monitoring and Reviewing HACCP-Based SOP Record, continued

Standard Operating Procedure	Record	Monitored by Whom	Reviewed by Whom
Using Suitable Utensils When Handling Ready-to-eat Foods	Food Safety Checklist		
Using Time Alone as a Public Health Control	Food Safety Checklist Production Record/Log		
Washing Fruits and Vegetables	Food Safety Checklist		
Washing Hands	Food Safety Checklist		



Summary of Corrective Actions for HACCP-Based SOPs		
SOP	Corrective Action	
Cleaning and Sanitizing Food Contact Surfaces	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.</li> <li>In a 3-compartment sink:         <ul> <li>Drain and refill compartments periodically and as needed to keep the water clean.</li> <li>Adjust the water temperature by adding hot water until the desired temperature is reached.</li> <li>Add more sanitizer or water, as appropriate, until the proper sanitizer concentration is achieved.</li> </ul> </li> <li>In a dishwasher:         <ul> <li>Drain and refill the machine periodically and as needed to keep the water clean.</li> <li>Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash temperature indicated on the data plate.</li> <li>For a hot water sanitizing dishwasher, retest by running the machine again. If the appropriate surface temperature is still not achieved on the second run, contact the appropriate individual(s) to have the machine repaired. Wash, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items if a 3-compartment sink is not available.</li> <li>For a chemical sanitizing dishwasher, check the level of sanitizer remaining in bulk container. Fill, if needed. "Prime" the machine according to the manufacturer's instructions to ensure that the sanitizer is being pumped through the machine. Retest. If the proper sanitizer concentration level is not achieved, stop using the machine and contact the appropriate individual(s) to have it repaired. Use a 3-compartment sink to wash, rinse, and sanitize until the machine is repaired.</li> </ul> </li> </ol>	

Summary of Corrective Actions for HACCP-Based SOPs, continued		
Corrective Action		
<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Begin the cooking process immediately after preparation is complete for any foods that will be served hot.</li> <li>Rapidly cool ready-to-eat foods or foods that will be cooked at a later time.</li> <li>Immediately return ingredients to the refrigerator if the anticipated preparation completion time is expected to exceed 30 minutes.</li> <li>Discard food held in the temperature danger zone for more than 4 hours.</li> </ol>		
1. Retrain any school nutrition employee found not following the		
<ul><li>procedures in this SOP.</li><li>2. Continue cooking food until the internal temperature reaches the required temperature.</li></ul>		
<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Reheat cooked, hot food to 165°F for 15 seconds and start the cooling process again using a different cooling method when the food is:         <ul> <li>Above 70°F and 2 hours or less into the cooling process; and</li> <li>Above 41°F and 6 hours or less into the cooling process.</li> </ul> </li> <li>Discard cooked, hot food immediately when the food is:         <ul> <li>Above 70°F and more than 2 hours into the cooling process; or</li> <li>Above 41°F and more than 6 hours into the cooling process.</li> </ul> </li> <li>Use a different cooling method for prepared ready-to-eat foods when the food is above 41°F and less than 4 hours into the cooling process.</li> <li>Discard prepared ready-to-eat foods when the food is above 41°F and more than 4 hours into the cooling process.</li> <li>Discard prepared ready-to-eat foods when the food is above 41°F and more than 4 hours into the cooling process.</li> </ol>		
1. Retrain any school nutrition employee found not following the		
<ul><li>procedures in this SOP.</li><li>Foods that are not date marked or that exceed the 7-day time period will be discarded.</li></ul>		
To be determined by school officials and state or local health department.		
<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Determine if the recalled product is to be returned and to whom, or destroyed and by whom.</li> <li>Notify feeding site staff of procedures, dates, and other specific directions to be followed for the collection or destruction of the recalled product.</li> <li>Consolidate the recall product as quickly as possible, but no later than 30 days after the recall notification.</li> <li>Conform to the recall notice using the following steps:</li> </ol>		

Summary of Corrective Actions for HACCP-Based SOPs, continued	
SOP	Corrective Action
Handling A Food Recall, continued	<ul> <li>Report quantity and site where product is located to manufacturer, distributor, or State agency for collection. The quantity and location of the affected USDA Foods must be submitted to the State Distributing Agency within 10 calendars days of the recall.</li> <li>Obtain the necessary documents from the State Distributing Agency for USDA Foods. Submit necessary documentation for reimbursement of food costs.</li> <li>Complete and maintain all required documentation related to the recall including:         <ul> <li>Recall notice</li> <li>Records of how food product was returned or destroyed</li> <li>Reimbursable costs</li> <li>Public notice and media communications</li> </ul> </li> </ul>
Hot and Cold Holding for Time/Temperature Control for Safety Foods  Critical Control Point (CCP)	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>For hot foods:         <ul> <li>Reheat the food to 165°F for 15 seconds if the temperature is found to be below 135°F and the last temperature measurement was 135°F or higher and taken within the last 2 hours. Repair or reset holding equipment before returning the food to the unit, if applicable.</li> <li>Discard the food if it cannot be determined how long the food temperature was below 135°F.</li> </ul> </li> <li>For cold foods:         <ul> <li>Rapidly chill the food using an appropriate cooling method if the temperature is found to be above 41°F and the last temperature measurement was 41°F or below and taken within the last 2 hours:</li></ul></li></ol>

Summary of Cor	rective Actions for HACCP-Based SOPs, continued
SOP	Corrective Action
Personal Hygiene	<ol> <li>Retrain any school nutrition employee found not following this procedure.</li> <li>Discard affected food.</li> </ol>
Preventing Contamination at Food Bars	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Remove and discard contaminated food.</li> <li>Demonstrate to customers how to properly use utensils.</li> <li>Discard the food if it cannot be determined how long the food temperature was above 41°F or below 135°F.</li> </ol>
Preventing Cross Contamination during Storage and Preparation	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Separate foods found improperly stored.</li> <li>Discard ready-to-eat foods that are contaminated by raw eggs, raw fish, raw meat, or raw poultry.</li> </ol>
Receiving Deliveries	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Reject the following:         <ul> <li>Frozen foods with signs of previous thawing</li> <li>Cans that have signs of deterioration, such as swollen sides or ends, flawed seals or seams, dents, or rust</li> <li>Punctured packages</li> <li>Foods with out-dated expiration dates</li> <li>Foods that are out of safe temperature zone or deemed unacceptable by the established rejection policy</li> </ul> </li> </ol>
Reheating Time/Temperature Control for Safety Foods Critical Control Point (CCP)	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Continue reheating and heating food if the internal temperature does not reach the required temperature.</li> </ol>
Serving Food	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Replace improperly handled plates, cups, or utensils.</li> <li>Discard ready-to-eat food that has been touched with bare hands.</li> <li>Follow the corrective actions identified in the Washing Hands; Using Suitable Utensils When Handling Ready-To-Eat Foods; Date Marking Ready-to-Eat, Time/Temperature Control for Safety Foods; Cooling Time/Temperature Control for Safety Foods; and Hot and Cold Holding for Time/Temperature Control for Safety Foods SOPs.</li> </ol>

SOP	Corrective Action
Storing and Using Poisonous or Toxic Chemicals	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Discard any food contaminated by chemicals.</li> <li>Label and/or properly store any unlabeled or misplaced chemicals</li> </ol>
Transporting Foods to Remote Sites (Satellite Kitchens)	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Continue heating or chilling food carrier if the proper air temperature is not reached.</li> <li>Reheat food to 165°F for 15 seconds if the internal temperature of he food is less than 135°F. Refer to the Reheating Time/Temperature Control for Safety Foods SOP.</li> <li>Cool food to 41°F or below using a proper cooling procedure if the internal temperature of cold food is greater than 41°F. Refer to the Cooling Time/Temperature Control for Safety Foods SOP for the proper procedures to follow when cooling food.</li> <li>Discard foods held in the danger zone for greater than 4 hours.</li> </ol>
Using and Calibrating a Thermometer	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>For an inaccurate, bimetallic, dial-faced thermometer, adjust the temperature by turning the dial while securing the calibration nutriculated just under or below the dial) with pliers or a wrench.</li> <li>For an inaccurate, digital thermometer with a reset button, adjust the thermometer according to manufacturer's instructions.</li> <li>If an inaccurate thermometer cannot be adjusted on-site, discontinution using it, and follow manufacturer's instructions for having the thermometer calibrated.</li> <li>Retrain employees who are using or calibrating food thermometer</li> </ol>
Using Suitable Utensils When Handling Ready-to-Eat Foods Using Time Alone as a Public Health Control  Critical Control Point (CCP)	<ol> <li>improperly.</li> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Discard ready-to-eat food touched with bare hands.</li> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Discard unmarked or unidentified food or food that is noted to exceed the 4-hour limit.</li> </ol>
Washing Fruits and Vegetables	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Remove unwashed fruits and vegetables from service and wash immediately before being served.</li> <li>Label and date fresh cut fruits and vegetables.</li> <li>Discard cut melons held after 7 days.</li> </ol>

Summary of Corrective Actions for HACCP-Based SOPs, continued		
SOP	Corrective Action	
Washing Hands	<ol> <li>Retrain any school nutrition employee found not following the procedures in this SOP.</li> <li>Ask employees that are observed not washing their hands at the appropriate times or using the proper procedure to wash their hands immediately.</li> <li>Retrain employee to ensure proper handwashing procedure.</li> </ol>	

Employee Food Safety Training Record		
Date:		
Location:		
Training & Ma	terials Provided:	
<b>Directions:</b> Use this form to record foo Maintain this record for a minimum of 1		
Employee Name	Length of Training/ Professional Standards Hours	
		-

#### **No-Cook Process Worksheet**

**Directions:** Review the standardized recipe for each of your menu items. Write the name of the menu item, the recipe number, and any specific instructions in the appropriate columns. Follow your HACCP-based Standard Operating Procedures for facility-wide, receiving, storing, preparing, holding, and serving.

Menu Item	Recipe Number	Specific Instructions

#### **Same Day Service Process Worksheet**

**Directions:** Review the standardized recipe for each of your menu items. Write the name of the menu item, the recipe number, and any specific instructions in the appropriate columns. Follow your HACCP-based Standard Operating Procedures for facility-wide, receiving, storing, preparing, holding, cooking, and serving.

Menu Item	Recipe Number	Specific Instructions

#### **Complex Food Process Worksheet**

**Directions:** Review the standardized recipe for each of your menu items. Write the name of the menu item, the recipe number, and any specific instructions in the appropriate columns. Follow your HACCP-based Standard Operating Procedures for facility-wide, receiving, storing, preparing, holding, cooking, serving, cooling, and reheating.

Menu Item	Recipe Number	Specific Instructions